QK
396
.56
W66p

FL
101
Afr
W


ANTHROPOLOGY
BOTANY
Library
of
FIELD MUSEUM
OF
NATURAL HISTORY
FOUNDED 1893
GEOLOGY
ZOOLOGY
C.F. BROKEMANN

Pamphlet
10

PRELIMINARY

CATALOGUE

OF

INDIGENOUS

NATAL PLANTS

BY

J. MEDLEY WOOD, A.L.S.,

Corresponding Member of the Pharmaceutical Society of Great Britain,

CURATOR OF NATAL BOTANIC GARDENS, DURBAN.

"Natal Mercury" Steam Printing Works,

1894.

HERBARIUM
OF
DR. C. F. MILLSPAUGH.

PRELIMINARY

CATALOGUE

OF

INDIGENOUS

NATAL PLANTS

BY

J. Medley Wood, A.L.S.,

Corresponding Member of the Pharmaceutical Society of Great Britain,

CURATOR OF NATAL BOTANIC GARDENS, DURBAN.

24949
FIELD
MUSEUM

"Natal Mercury" Steam Printing Works,
Durban, Natal,
1894.

QK
396
.S6
W66p

REF
MUSEUM

PREFACE

THIS Catalogue is intended merely as a preliminary one. No list of Natal plants has yet been published in a separate form, and those wishing for information as to our indigenous flora can only obtain it from the pages of the "Flora Capensis" or other scientific works which are not accessible to the general public. The "Flora Capensis," moreover, is still incomplete, the last published volume ending with the Order Campanulaceæ, and it will be seen, that even within the range of the three volumes published, the present list includes species and genera not to be found in that work.

It is hoped that by the publication of this Catalogue (which is necessarily very imperfect) information may be elicited; new species, or species not at present known to be indigenous, may be added, and the habitats of the different plants more fully recorded, so that at no remote period a fuller and more correct list may be compiled, and information added which it has been found impracticable to include in the present one.

It will be noticed that a large number of plants in this list are without any indication of the locality in which they have been found. The reason for this is that many collectors have been content to give the locality as simply Natal, or to add the name of some river, such as Umzimkulu, Tugela, &c., &c.; but as these rivers run their course from the Berg to the sea, it is impossible to form any idea of the elevation at which the plants have been collected. The few specimens of Gerrard's collections, which are in the Government Herbarium, and also Rev. J. Buchanan's collections of GRAMINEÆ and CYPERACEÆ are all without any indication of the habitat of the plants. In a future list I hope the habitats may be much more fully recorded.

Those species whose names are printed in italics are certainly not really indigenous, and it is very probable that many more may be added to the list.

It must not be supposed that all those plants to which no specific name is attached are necessarily new or undescribed. Some few no doubt are so, while others are, very probably, known species, but in consequence of the specimens not being sufficiently perfect they cannot be certainly identified, while others again are doubtless mere varieties of plants already well known.

The capital letters following the name of the plant give an indication, though

perhaps a very rough one, of the heights above the sea at which the plants have been observed or collected, as under :—

A	...	0 to 1000 feet.	D	...	3000 to 4000 feet.
B	...	1000 to 2000 feet.	E	...	4000 to 5500 feet.
C	...	2000 to 3000 feet.	Z	...	Zululand.

The sequence of Orders and Genera is that followed in Hooker and Bentham's "Genera Plantarum." The numbers attached to the Genera are arbitrary, and are only intended for the purpose of indexing, while the species are alphabetically arranged. Any information as to plants not included in this list, or, in fact, information of any kind about our indigenous flora will be gladly received, acknowledged, and recorded.

The following plants have either been named, or the names have come to my knowledge, since this list was put into the printer's hands :—

Page 9. Genus No. 110. VITIS =J. M. Wood, 3593, is Cissus cussonioides, Schinz.

Page 19. Genus No. 331. MATRICARIA =J. M. Wood, 3046, is M. zuurbergensis, Oliv.

Page 24. Genus No. 432. BELMONTIA =J. M. Wood, 133, is B. natalensis, Schinz.

Page 26. Genus No. 487. STREPTOCARPUS =Govt. Herbm., 3438, is S. Wendlandii,

Page 27. Genus No. 510. SELAGO =J. M. Wood, 3485, is S. densiflora, Rolfe.

The following are not included in the list, having been either named or identified since its completion :—

Ceropegia caffrorum, Schltr.	A	Neobolusia Tysoni, Schltr.	D
Crassula heterotricha, Schinz.	B	Periglossum angustifolium, Dcne.	E
Cussonia chartacea, Schinz.	A	Satyrium cristatum, Sond.	D
Cyrtanthus O'Brieni, Baker	E	Schizoglossum brachyandrum, Schltr.	E
Eulophia æmula, Schltr.	D	,, ciliatum, Schltr.	D
Euphorbia procumbens, Mill.	A	,, glanduliferum, Schltr.	D
Gazania bracteata, N. E. B.	?	,, verticillare, Schltr.	D
Gomphocarpus cucullatus, Schltr.	E		
,, fragrans, Schltr.	D		

J. MEDLEY WOOD.

DURBAN, NATAL,
July, 1894.

CATALOGUE

OF THE

INDIGENOUS PLANTS OF NATAL,

INCLUDING A FEW FROM ZULULAND.

Ranunculaceæ.

1 Clematis Linn.

brachiata, Thb.	BC
glaucescens, Fresen	C
incisodentata, A. Rich.	C
Oweniæ, Harv.	B—Z

2 Thalictrum Linn.

rhynchocarpum, D & R	CD

3 Anemone Linn.

caffra, E & Z	B
Fanniniæ, Harv.	B—E

4 Knowltonia Salisb.

brevistylis, Szysz.	B
vesicatoria, Sims	B

5 Ranunculus Linn.

Baueri, Macowan	E
Cooperi, Oliv.	DE
Meyeri, Harv.	E
pinnatus, Poir.	A—E

Anonaceæ.

6 Uvaria Linn.

caffra, E. M.	AB

7 Artabotrys R. Br.

Monteiroiæ, Oliv.	A

8 Popowia Endl.

caffra, H. & S.	AB

9 Anona Linn.

senegalensis, Pers.	B

Menispermaceæ.

10 Stephania Lour.

hernandæfolia, Walp.	A—C

11 Cissampelos Linn.

Burchelliana, Miers.	
natalensis, Szysz	B
Pariera, Linn	A B
torulosa, E. M.	A B

Nympheaceæ.

12 Nymphea Linn.

stellata, Willd.	A—D

Papaveraceæ.

13 Papaver Linn.

gariepense, Burch.	A—E

14 Argemone Linn.

mexicana, Linn.	A

15 Fumaria Linn.

officinalis, Linn.	A

16 Corydalis D. C.

pruinosa, E. M.	C

Cruciferæ.

17 Arabis Linn.

perfoliata, Lam.	D

18 Cardamine Linn.

africana, Linn	C

19 Sisymbrium Linn.

capense, Thb.	A
„ var latifolium	A

20 Heliophila Linn.

linearis, D. C.	A
rigidiuscula, Sond.	A
scandens, Harv.	A
virgata, Burch.	AB
sp (= J. M. Wood, 3097)	A

21 Brassica Linn.
strigosa, D. C. A

22 Senebiera Poir.
didyma, Pers. A

23 Lepidium Linn
capense, Thb. A

Capparideæ.

24 Cleome Linn.
monophylla, Linn. B
rubella, Burch. C
sp (Dianthera Petersiana) ?

25 Niebuhria D. C.
nervosa, Hochst A
pedunculosa, Hochst AB
rosmarinoides, Sond. A
triphylla, Wendl. AB
Woodii, Oliv. B
sp (= J. M. Wood, 1024) A

26 Maerua Forsk.
angolensis ?

27 Cadaba Forsk.
natalensis, Sond, A

28 Capparis Forsk.
citrifolia, Lam. A
corymbifera, E. M. A
Gueinzii, Sond. A
Zeyheri, Turcz. A
sp (= J. M. Wood, 4438) C

Violarieæ.

29 Ionidium Vent.
caffrum, Sond. A
capense, R. & S. AB
natalense, Harv. B

30 Alsodeia Thouars
sp (= J. M. Wood, 1001) B—D

Bixineæ.

31 Oncoba Forsk.
Kraussiana, Planch AB
spinosa, Forsk. A
tettensis, Hk f. B

32 Rawsonia H. & S.
lucida, Harv. AB

33 Scolopia Schreb.
Ecklonii, Szysz A
Gerrardi, Harv. B
Mundtii, Arn. ?
Zeyheri, Harv. E

34 Xylosma Forsk.
monospora, Harv. B—E

35 Dovyalis E. M.
rhamnoides, Burch & Harv. A

36 Aberia Hochst.
caffra, Hk & Harv. ?
longispina, Harv. A

37 Trimeria Harv.
alnifolia, Planch AB

38 Kiggelaria Linn.
africana, Linn. B
Dregeana, Turcz E

Pittosporeæ.

39 Pittosporum Banks
viridiflorum, Sims A

Polygaleæ.

40 Polygala Linn.
capillaris, E. M. A
confusa, Macowan A
hottentotta, Presl. A—E
myrtifolia, Linn. A
Ohlendorfiana, E. & Z. BD
oppositifolia, Linn. AB
persicarœfolia, D.C. C
serpentaria, E. & Z. B
tenuifolia, Link A—C
virgata, Thb. A—E
sp. (=J. M. Wood, 1394) B
sp. (= „ 1396) B
sp. (= „ 3481) C
sp. (= „ 3482) D

41 Muraltia Necker.
lancifolia, Harv. BC
pilosa, D. C. B
„ var C

Caryophylleæ.

42 Dianthus Linn.
prostratus, Jacq. AB

43 Silene Linn.
Burchellii, Ott. B
„ var. latifolia, Sond. B
Capensis, Ott. D
gallica, Linn. A
Thunbergiana, E. & Z. B

44 Cerastium Linn.
Dregeanum, Fenzl BC

45 Stellaria Linn.
media, Villars A

46 Spergula Linn.
arvensis, L. B

47 Drymaria Willd.
cordata, Willd. B

48 Polycarpæa Linn.
corymbosa, Lam. B

Portulaceæ.

49 Portulaca, Linn.
oleracea, Linn. AB
pilosa, Linn. ?

50 Portulacaria, Jacq.
afra, Jacq. AB

51 Talinum, Adans.
caffrum, E. & Z. AB

Hypericineæ.

52 Hypericum, Linn.
aethiopicum A—D
Lalandii, Choisy AB
lanceolatum, Lam. B
sp. (=J. M. Wood, 4034) D

Guttifereæ.

53 Garcinia, Linn.
Gerrardi, Harv. B

Malvaceæ.

54 Malvastrum, A. Gray.
capense, Gray & Harv. B

55 Sida, Linn.
carpinifolia, Linn. A
cordifolia, Linn. B
longipes, E. M. B
rhombifolia, Linn. AB
spinosa, Linn. A
triloba, Cav. AB

56 Abutilon, Gaert.
indicum, G. Don A
Sonneratianum, Cav. A

57 Pavonia, Cav.
Kraussiana, Hochst. A
macrophylla, E. M. AB
microphylla, E. M. A
mollis, E. M. B
odorata, Willd. A
urens, Cav. A

58 Hibiscus, Linn.
aethiopicus, Linn. B
atromarginatus, E. & Z. D
calycinus, Willd. A
cannabinus, Linn. AB
diversifolius, Jacq. B
furcatus, Roxb. A
gossypinus, Thb. AB
leiospermus, Harv. A
leptocalyx,Sond.(G.&McK 1) ?
malacospermus, E. M. C
micranthus, Linn. C
natalitius, Harv. B
pedunculatus, Cav. AB
physaloides, G. & P. A
pusillus, Thb. BC
ricinifolius, E. M. B
surattensis, Linn. AB
tiliaceus, Linn. A
trionum, Linn. A—C
,, var. hastæfolius B
vitifolius, Harv. B
sp. (J. M. Wood, 3455) D

59 Fugosia, Juss.
Gerrardi, Harv. BC

Sterculiaceæ.

60 Cola, Schott.
natalensis, Oliv. AB

61 Dombeya, Cav.
Burgessieæ, Gerr. DE
Dregeana, Sond. A
natalensis, Sond. A—C
rotundifolia, Harv. B

62 Melhania, Forsk.
didyma, E. & Z. C
prostrata, D. C. ?

63 Hermannia, Linn.
cristata, Bolus DE
Gerrardi, Harv. C
Sandersoni, Harv. B

64 Mahernia, Linn.
auricoma, Szysz. C
bipinnata, Linn. ?
chrysantha, Planch. DE
cococarpa, E. & Z. DE
erodioides, Burch. BC
gracilis, Harv. Z
grandistipula, Burch. C
Macowani, Szysz. D
ovalis, Harv. C
parviflora, E. & Z. C
veronicæfolia, E. & Z. D
sp. (=J. M. Wood, 4245) E
sp. (=J. M. Wood, 4623) D

65 Waltheria, Linn.
indica, Linn. AB

Tiliaceæ.

66 Grewia, Linn.

angolensis, Welw.	C
caffra, Meisn.	A—E
flava, D. C.	C
hispida, Harv.	CE
lasiocarpa, E. M.	AB
megalocarpa, P. de B.	CD
occidentalis, Linn.	AB

67 Triumfetta, Linn.

annua, Linn.	A—C
effusa, E. M.	A
pilosa, Roth.	A
rhomboidea, Jacq.	A
trichocarpa, Sond.	Z
sp. (= Gerrard, 649)	A

68 Sparmannia.

palmata, E. M.	B—C

69 Corchorus, Linn.

asplenifolius, Burch.	AB
trilocularis, Linn.	A—C

Lineæ.

70 Linum, Linn.

Thunbergii, E. & Z.	B

71 Erythroxylon.

emarginatum, Thonn.	AB
monogynum, Roxb.	B
pictum, E. M.	B

Malpighiaceæ.

72 Acridocarpus Guill. & Per.

natalitius, Juss.	AB

73 Sphedamnocarpus, Planch.

galphimiœfolius A., Juss.	A
pruriens A., Juss.	AB

Zygophylleæ.

74 Tribulus, Linn.

terrestris, Linn.	B—D

Geraniaceæ.

75 Monsonia, Linn.

attenuata, Harv.	DE
ovata, Cav.	B
„ var. biflora. Harv.	A

76 Geranium, Linn.

canescens, L'Herit	DE
incanum, Burm.	DE
ornithopodum, E. & Z.	AB

77 Pelargonium, L'Herit.

aconitiphyllum, E. & Z.	B—E
alchemilloides, Willd.	AB
capitatum, Ait.	A
flabellifolium, Harv.	BC
grossularoides, Ait.	A
inquinans, Ait.	E
pulverulentum, Colv.	B
sp. (= J. M. Wood, 1836)	C
„ („ 4492)	C

78 Oxalis, Linn.

bifurca, Lodd.	?
convexula, Jacq.	?
corniculata, Linn.	AB
pulchella, Jacq.	C
semiloba, Sond.	B
var. fl. pleno, J. M. W., 550	C
setosa, E. M.	?
Smithiana, Sond	E

79 Impatiens, Linn.

capensis, Thb.	A—E

Rutaceæ.

80 Calodendron, Thb.

capense, Thb.	AB

81 Barosma, Willd.

lanceolata, Sond.	B

82 Toddalia, Juss.

lanceolata, Lam.	A
natalensis, Sond.	A

83 Clausena, Burm.

inœqualis, Bth.	A—D

84 Zanthoxylum, Linn.

capense, Harv.	AB
Thunbergii, D. C.	A

Ochnaceæ.

85 Ochna Schreber.

arborea, Burch.	B
atropurpurea, D. C.	AB
„ var. natalitia, Harv.	AB

Burseraceæ.

86 Protium, W. & A.

africanum, Harv.	AB

87 Commiphora, Jacq.

carvacefolia, Oliv.	AB

Meliaceæ.

88 Turræa, Linn.

heterophylla, Smith	AB
obtusifolia, Hochst.	AB

89 Melia, Linn.
azederach, Linn. AB

90 Ekebergia, Sparm.
capensis, D.C. B
Meyeri, Presl. AB

91 Trichilia, Linn.
Dregeana, E. M.
var. oblonga ?
Ekebergia, E. M. ?
emetica, Vahl. A
natalensis, Sond. ?
(n. sp.=J. M. Wood, 1043) AB

Olacineæ.

92 Ximenia, Linn.
caffra, Sond. A—C

93 Apodytes, E. M.
dimidiata, E. M. AB

94 Pyrenacantha, Hook.
scandens, Planch. A

95 Cassinopsis, Sond.
capensis, Sond. ?
tinifolia, Harv. B

Ilicineæ.

96 Ilex, Linn.
capensis, Harv. & Sond. E

Celastrineæ.

97 Cathastrum, Turcz.
capense, Turcz. E

98 Cassine, Linn.
albanensis, Sond ?
capensis, Linn. B

99 Celastrus, Linn.
accuminatus, Linn. BC
angularis, Sond. AB
buxifolius, Linn. AB
laurinus, Thb. ?
nemorosus, E. & Z. ?
peduncularis, Sond. AB
polyacanthos, Sond. ?
procumbens, Linn. A
Rehmanni, Szysz. C
ruber, Harv. B
undatus, Thb. D
Woodii, Szysz. B

100 Pterocelastrus, Meisn.
sp. (=J. M. Wood, 1292) B

101 Putterlickia, Endl.
verrucosa, E. M. AB

102 Elaeodendron, Jacq.
capense, E. & Z. AB
celastroides, Harv. Z
croceum, D. C. E
laurifolium, Harv. A
velutinum, Harv. AB
sp. (=J. M. Wood, 212) B

103 Salacia, Linn.
Gerrardi, Harv. ?
Kraussii, Hochst. A

Rhamneæ.

104 Zisyphus, Juss.
mucronata, Willd. AB
„ var. glabrata BC
„ var. pubescens C

105 Rhamnus, Linn.
natalensis ?
prinoides, L'Herit CD

106 Scutia, Comm.
Commersoni, Brogn. A

107 Phylica, Linn.
oleoides, D. C. ?
paniculata, Willd. AB

108 Noltea, Reich.
africana, Reich. ?

109 Helinus, E. M.
ovata, E. M. A—E

Ampelideæ.

110 Vitis, Linn.
bigemina ?
capensis, Thb. B
„ var. Dregeana AB
cirrhosa, Thb. A—D
cuneifolia A—D
fragilis, E. M. AB
gracilis Z
humilis, N. E. B. D
hypoleuca, Harv. A
lanigera, Harv. A
natalitia, Szysz. BC
orientalis A
rhomboidea A–C
semiglabra ?
tetragona, Harv. ?
Thunbergii, E & Z A—D
sp. (=J. M. Wood, 3593) D
sp. (=J. M. Wood, 3478) D
sp. (=J. M. Wood, 3480) D

Sapindaceæ.

111 Cardiospermum, Linn.
halicacabum, Linn. B

112 Schmidelia, Linn.

Dregeana, Sond.	C
melanocarpa, Arn.	AB
natalensis, Sond.	A
Rehmanniana, Szysz.	A

113 Hippobromus, E. & Z.

alatus, E & Z	A—D

114 Sapindus, Linn.

capensis, Hochst.	A

115 Dodonæa, Linn.

viscosa, Linn.	A

116 Pteroxylon, E. & Z.

utile, E & Z.	D

117 Melianthus, Linn.

n. sp. (J. M. Wood, 4376)	E

118 Bersama, Fresen

lucens, Szysz.	B

119 Greyia, Hook & Harv.

Sutherlandi, H. & H.	C—E

Anacardiaceæ.

120 Rhus, Linn.

crenata, Thb.	B
dentata, Thb.	BC
discolor, E. M.	D
excisa, Thb.	DE
Gerrardi, Harv.	D
grandifolia, Engl.	B
Gueinzii, Sond.	?
laevigata, Linn.	AB
longifolia, Sond.	AB
lucida, Linn.	B
natalensis, Bernh.	A
obovata, Sond.	B
parvifolia, Harv.	B
puberula, E. & Z.	C
pyroides, Burch.	?
refracta, E. & Z.	DE
Rehmanniana, Szysz.	D
tridentata, Sond.	B
villosa, Lf.	B
,, var. gracilis, Engl.	C—E
viminalis, Vahl.	D
Zeyheri, Sond.	D
sp. (=J. M. Wood, 742)	B
,, (,, 3002)	C
,, (,, 3892)	?
,, (,, 3968)	A
,, (,, 3932)	E

121 Loxostylis, Spr.

alata, Spr.	A

122 Smodingium, E. M.

argutum, Sond.	B

123 Odina, Roxb.

edulis, Sond.	B
sp. (Harpophyllum caffrum)	A

124 Sclerocarya, Hochst.

caffra, Sond.	B

Connaraceæ.

125 Cnestis, Juss.

natalensis, Pl. & Sond.	AB

Leguminosæ.

126 Podalyria, Lam.

velutina, Burch.	C

127 Rafnia, Thb.

sp. (=J. M. Wood, 3008)	C

128 Lotononis, D. C.

calycina, Bth.	CD
carinata, Bth.	?
corymbosa, Bth.	A—E
cytisoides, Bth.	BC
dichiloides, Sond.	A—C
eriantha, Bth.	C
foliosa, Bolus	DE
lanceolata, Bth.	?
laxa, E. & Z.	D
sp. (=J. M. Wood, 4516)	E

129 Lebeckia, Thb.

macrantha, Harv.	Z

130 Aspalathus. Linn.

canescens, ? Linn.	C
eriophylla, ? Walp.	C
sericantha, E.M.	B
spinosa, Linn.	A

131 Buchenroedera, E. & Z.

viminea, Presl.	B
sp. (=J. M. Wood, 3988)	Z
sp. (= ,, 4805)	E

132 Melolobium, E. & Z.

alpinum, E. & Z.	D
cernuum, E. & Z.	D
decumbens, Bth.	C
obcordatum, Harv.	CD

133 Dichilus, D.C.

lebeckioides, D.C.	C

134 Crotalaria, Linn.

capensis, Jacq.	AB
distans, Bth.	C
globifera, E.M.	B
Grantiana, Harv.	B
lanceolata, E.M.	B
macrocarpa, E.M.	?
natalitia, Meisn.	AB
Saltiana, Andr.	B
sp. (=J. M. Wood, 385)	C

135 Argyrolobium, E. & Z.

Andrewsianum, Steud. A—C
„ var. helvolum ?
„ „ racemosum A
ascendens, Walp. AB
longifolium, Walp. B
marginatum, Bolus B
molle, E. & Z. ?
rupestre, Walp. BC
Sandersoni, Harv. B
speciosum, E. & Z. D
stipulaceum, E. & Z. D
Sutherlandi, Harv. C
tuberosum, E. & Z. C—E
uniflorum, Harv. B
sp. (=J M. Wood, 861) AB
sp. (= „ 3937) D
sp. (= „ 4770) E

136 Medicago, Linn.

denticulata, Willd. D
laciniata, All. D

137 Trifolium, Linn.

africanum, Ser. B
Burchellianum, Ser. AB

138 Lotus, Linn.

discolor, E. M. AB

139 Psoralea, Linn.

caffra, E. & Z. B
pinnata, Linn. B
polysticta, Bth. C

140 Indigofera, Linn.

alternans, D. C. Z
argyræa, E. & Z. Z
cryptantha, Bth. A
cylindrica, D. C. ?
daleoides, Bth. Z
denudata, Thb. Z
dimidiata, Vogel B
Dregeana, E. M. A
endecaphylla, Jacq. A
eriocarpa, E. M. B
fastigiata, E. M. B
filipes, Bth Z
foliosa, E. M. D
Gerrardiana, Harv. D
grata, E. M. ?
hedyantha, E. & Z. D
heterotricha, D. C. Z
hilaris, E. & Z. A
hirsuta, Harv. D
micrantha, E. M. AB
polycarpa, Bth. A
rufescens, E. M. ?
sarmentosa, Linn. ?
teniussima, E. M. ?
tetragonoloba, E. M. B
tristis, E. M. B
velutina, E. M. A
vestita, Harv. A
viminea, E. M. B
Zeyheri, Spreng. ?
sp. (=J. M. Wood, 435) B
sp. (= „ 872) B
sp. (= „ 974) B
sp. (= „ 1602) B
sp. (= „ 3100) B
sp. (= „ 3178) C
sp. (= „ 3510) E
sp. (= „ 3525) D
sp. (= „ 3536) D
sp. (= „ 3544) D
sp. (= „ 3549) D
sp. (= „ 3936) D

141 Tephrosia, Persoon.

aemula, E. M. ?
canescens, E. M. A
capensis, Pers. A
diffusa, E. M. C
discolor, E. M. A
elongata, E. M. B
glomeruliflora, Meisn. ?
grandiflora, Pers. CZ
Kraussiana, Meisn. AB
longipes, Meisn. B
macropoda, E.M. AB
sp. (=J. M. Wood, 289) B
sp. (= „ 3021) B
sp. (= „ 3101) B

142 Millettia, W. & A.

caffra, Meisn. AB
Sutherlandi, Harv. A

143 Sesbania, Persoon.

aculeata, Pers. AB
punctata, D. C. A

144 Sutherlandia, R. Br.

frutescens, R. Br. BC

145 Lessertia, D. C.

perennans, D. C. AB
tenuifolia, E. M. Z
sp. (=J. M. Wood, 3338, 3545) D
sp. (= „ 1824) B
sp. (= „ 4785) E

146 Aeschynomene, Linn.

erubescens, E. M. ?
micrantha, D. C. AB
uniflora, E. M. AB

147 Smithia, Ait.

sensitiva, Ait. BC

148 Arachis, Linn.

hypogæa, Linn. Cult.

149 Zornia, Gmelin

tetraphylla, Michx. AB

150 Desmodium, Desv.

Dregeanum, Bth.	AB
gangeticum, D. C.	A
hirtum, Guill. & Per.	AB
incanum, D. C.	A
paleaceum, Guill. & Per.	A
scalpe, D. C.	A—C

151 Pseudarthria, W. & A.

sp. (=Anarthrosyne robusta)	B

152 Alysicarpus, Necker

Wallachii, W. & A.	BC

153 Vicia, Linn.

sativa, Linn.	C

154 Abrus, Linn.

precatorius, Linn.	A
pulchellus, Wall.	BC

155 Dumasia, D. C.

villosa, D.C.	C

156 Glycine, Linn.

javanica, Linn	B

157 Teramnus, Swartz

labialis, Spreng	A

158 Erythrina, Linn.

caffra, Thb.	A—D
Humiana, Spreng	BC
tomentosa, Buch-Ham.	BC
Zeyheri, Harv.	D

159 Canavalia, Adams

bonariensis, Ldl.	A
ensiformis, D.C.	BC
obtusifolia, D.C.	A

160 Vigna, Savi.

angustifolia	B—E
Burchellii, Harv.	Z
luteola, Bth.	A
marginata, Bth.	AB
retusa, Walp.	?
tenuis, E. M.	?
triloba, Walp.	Z
vexillata, Bth.	BCD

161 Voandzeia, Thouars.

subterranea, Thouars	B

162 Dolichos, Linn.

angustifolius, E. & Z.	D
biflorus, L.	B
gibbosus, Thb.	D
Lablab, Linn.	AB
sp. (=J. M. Wood, 565)	A
sp. (= „ 778)	A
sp. (= „ 3185)	A

163 Rhynchosia, Lour

adenodes, E. & Z.	A—C
bracteata *	?
gibba, E. M.	B
grandifolia, Harv.	?
hirsuta, E. & Z.	A
orthodanum, Bth.	B
quadrata, Harv.	A
rotundifolia, Walp.	?
sigmoides, Bth.	B
Totta, D. C.	B
sp. (=J. M. Wood, 692)	B
sp. (= „ 3143)	A
sp. (= „ 3522)	D
sp. (= „ 3530)	D
sp. (= „ 3532)	E
sp. (= „ 3987)	Z

164 Eriosema, D. C.

cajanoides, Bth.	B
cordatum, E. M.	BC
Kraussianum, Meisn.	CD
parvifolium, E. M.	A
salignum, E. M.	BC
squarrosum, Walp.	B

165 Flemingia, Roxb.

congesta, Roxb.	B

166 Dalbergia, Linn.

armata, E. M.	AB
obovata, E. M.	AB

167 Baphia, Afzel.

racemosa, Hochst.	AB

168 Calpurnia, E. M.

intrusa, E. M.	BC
lasiogyne, E. M.	A
villosa, Harv.	E
n. sp. (=J. M. Wood, 4377)	D

169 Sophora, Linn.

nitens, Bth.	?

170 Hoffmanseggia, Cav.

Burchellii, Bth. & Hk.	Z
(—Melanosticta, Sandersoni)	CD

171 Cassia, Linn.

comosa, Voq.	Z
delagoensis, Harv.	?
mimosoides, L.	A—D
obovata, Collad.	A
occidentalis, Linn.	A
tomentosa, Linn.	A

172 Bauhinia, Linn.

natalensis, Oliv.	?
tomentosa, Linn.	A

173 Schotia, Jacq.

brachypetala, Sond.	AB

174 Entada, Adanson

natalensis, Bth.	AB
scandens, Bth.	?

175 Elephantorhiza, Bth.

Burchellii, Bth.	A—E

176 Dichrostachys, D. C.

nutans, Bth.	A

177 Acacia, Willd.

arabica, Willd., var. Kraussiana	A
caffra, Willd.	B
Gerrardi, Bth.	A
horrida, Willd.	D
hirtella, Willd.	D
Kraussiana, Meisn.	A
natalitia, E. M.	?
pennata, Willd.	D
spinosa, E. M.	?
sp. (=J. M. Wood, 730)	B
sp. (= „ 3133)	D
sp. (= „ 3528)	C

178 Albizzia, Durazzini

fastigiata, Oliv.	A

Rosaceæ.

179 Rubus, Linn.

Ludwiggii, E. & Z.	BC
rigidus, Smith	A—D

180 Geum, Linn.

capense, Thb.	D

181 Alchemilla, Linn.

capensis, Thb.	BC
sp. (=J. M. Wood, 4518)	E

182 Leucosidea, E. & Z.

sericea, E. & Z.	BE

183 Agrimonia, Linn.

Eupatoria, Linn., var. capensis, Harv.	B—D

184 Cliffortia, Linn.

linearifolia, E. & Z.	?
octandra, Cham.	B
strobolifera, Linn.	B

Saxifrageæ.

185 Choristylis, Harv.

rhamnoides, Harv.	CD

186 Cunonia, Linn.

capensis, Linn.	BC

Crassulaceæ.

187 Tillaea, Linn.

inane, E & Z	E
subulata	?

188 Crassula, Linn.

brachypetala, E.M.	B
centauroides, Linn.	B
cordata, Ait.	B
Dregeana, Harv.	?
ericoides, Harv.	C
expansa, Ait.	AB
falcata, Wendl.	?
lactea, Ait.	B
Meyeri, Harv.	?
muscosa, Linn.	B
pallida, Baker	B
perforata, Linn.	B
quadrifolia, Baker	B
recurva, N.E.B.	Z
rosularis, Harv.	B
rubicunda E.M.	A—C
sarcocaulis, E.Z.	B
sarmentosa, Harv.	?
vaginata, E. & Z.	B
sp. (=J. M. Wood, 554)	B
sp. (= „ 600)	B
sp. (= „ 977)	B
sp. (= „ 1840)	C
sp. (= „ 1875)	B
sp. (= „ 1876)	B
sp. (= „ 3054)	B
sp. (= „ 3142)	B

189 Kalanchoe, Adans.

crenata, Harv.	B
hirta, Harv.	B
rotundifolia, Harv.	AB
thyrsiflora, Harv.	BC

190 Cotyledon, Linn.

orbiculata, Linn.	B

Droseraceæ.

191 Drosera, Linn.

Burkeana, Planch	AB
„ var., J.M.W. 1037	B
ramentacea, Burch	A

Hamamelideæ.

192 Trichocladus, Pers.

crinitus, Pers.	BCZ

Bruniaceæ.

193 Raspalia, Brong.

sp. (=J. M. Wood, 3029)	B

Haloragеæ.

194 Serpicula, Linn.
repens. Linn. A

195 Gunnera, Linn.
perpensa, Linn. A—E

196 Myriophyllum, Linn.
spicatum, Linn. D

Rhizophoreæ.

197 Rhizophora, Linn.
mucronata, Lam. A

198 Bruguiera, Lam.
gymnorhiza, Lam. A

199 Weihea, Spr.
sp. (=J. M. Wood, 684) B

200 Cassipourea, Aubl.
verticillata, N.E.B. A

Combretaceæ.

201 Combretum, Linn.
apiculatum, Sond. D
erythrophyllum, Sond. AB
glomeruliflorum, Sond. ?
Gueinzii, Sond. B
Kraussii, Hochst BC
salicifolium, E.M. D
Sonderi, Gerr. A
sp. (Poivrea bracteosa) A

202 Quisqualis, Rumph.
parviflora, Gerr. A

Myrtaceæ.

203 Eugenia, Linn.
albanensis, Sond. AB
capensis, Harv. A
cordata, Laws. AB
Gueinzii. Sond. ?
natalitia, Sond. A
Zeyheri, Harv. ?
sp. (Govt. Herbarium, 1434) A
sp. (Gerr. & McKen, 719) ?

204 Barringtonia, Forster
racemosa, Roxb. A

Melastomaceæ.

205 Dissotis, Bth.
eximia, Harv. AB
incana Naud. AB
phaeotricha, Triana A
sp. (J. M. Wood, 3026) B

206 Olinia Thunb.
cymosa, Thb. E

Lythrarieæ.

207 Lythrum, Linn.
rigidulum, Sond. ?
sagittæfolium, Sond. DE

208 Nesæa, Commerson
floribunda, Sond. A
sp. (J. M. Wood, 1797) A

209 Heteropyxis, Harv.
natalensis, Harv. AB

210 Gen. nov.
sp. (=J. M. Wood, 3124) B

Onagrarieæ.

211 Epilobium, Linn.
capense, Burch B
flavescens, E. M. B
hirsutum, Linn. B

212 Jussiæa, Linn.
repens, Linn. A
suffruticosa, Linn. A

213 Ludwigia, Linn.
jussaeoides, Harv. (non. Lam.) Z

214 Oenothera, Linn.
biennis, L. A
rosea, Ait. C

215 Trapa, Linn.
bispinosa, Roxb. A

Samydaceæ.

216 Homalium, Jacq.
rufescens, Bth B
sp. (=Blackwellia, dentata) ?

217 Gerrardiana, Oliv.
foliosa, Oliv. B

Passifloreæ.

218 Tryphostemma, Harv.
Sandersoni, Harv. AB

219 Ophiocaulon, Hook.
gummifera, Hk. *f.* AB

220 Ceratosicyos, Nees.
Eckloni, Nees BCZ

Cucurbitaceæ.

221 Trochomeria, Hook.

Hookeri, Harv.	B
sagittata, Hk. *f.*	BC
sp. (=Zehneria pectinata)	Z

222 Peponia, Naud.

McKenii, Naud.	A

223 Luffa, Cav.

sphaerica, Sond.	A

224 Momordica, Linn.

charantia, Linn.	A
involucrata, E. M.	A
morkorra, A. Rich	B

225 Cucumis, Linn.

africanus, Linn.	?
Figarei, Del. var.	B
hirsutus, Sond.	B
metuliferus, E. M.	?

226 Citrullus, Schrad.

vulgaris, Schrad.	B

227 Cephalandra, Schrad.

McKenii, Cogn.	?
palmata, Cogn.	AB
sp. (=J. M. Wood, 4105)	D

228 Mukia, Arn.

scabrella, W. & A.	A

229 Zehneria, Endl.

obtusiloba, Sond.	?
scabra, Sond.	AB

230 Rhynchocarpa, Schrad.

foetida, Schrad.	AB

231 Gerrardanthus, Harv.

macrorhiza, Harv.	AB
tomentosa, Hook	B

232 Gen. nov.

sp. (J. M. Wood, 813)	B

Begoniaceæ.

233 Begonia, Linn.

Dregei, Ott & Diet.	B
geranioides, Hk. *f.*	BC
natalensis, Hk.	?
suffruticosa, Meisn., var. Gueinziana, A.D.C.	B

Cacteæ.

234 Rhipsalis, Gaertn.

sp. (=J. M. Wood, 171)	B

Ficoideæ.

235 Mesembryanthemum, Linn.

edule, Linn.	A
hirtum, N. E. B.	DE
uncinellum, Harv.	?
sp. (=J. M. Wood, 599)	B
sp. (= „ 739)	B
sp. (= „ 3096)	B
sp. (= „ 3408)	A

236 Aizoon, Linn.

canariense, Linn.	A
glinoides, Linn.	?

237 Orygia, Forsk.

decumbens, Forsk	A

238 Mollugo, Linn.

sp. (=Glinus mollugo, Fenzl)	?

239 Pharnaceum, Linn.

distichum, Thb.	?

240 Psammotropha, Linn.

androsacea, Fenzl	B—E
myriantha, Sond.	B—D

241 Limeum, Linn.

viscosum, Fenzl	

Umbelliferæ.

242 Hydrocotyle, Linn.

americana, Linn., var. monticola, Hk. *f.*	B
asiatica, Linn.	A – D
var. repanda	A
centella, Cham & Sch.	BZ
umbellata, Linn.	A
sp. (=J. M. Wood, 998)	A
sp. (= „ 1345)	BZ

243 Alepidea, La Roche.

amatymbica, E. & Z.	B
Woodii, Oliv.	B
sp. (=J. M. Wood, 251, 4587)	B—E

244 Sanicula, Linn.

europæa, Linn.	B

245 Conium, Linn.

maculatum, Linn.	C

246 Bupleurum, Linn.

Munâtii, Ch. & Sch.	D

247 Heteromorpha, Ch. & Sch

arborescens, Ch. & Sch.	BC

248 Lichtensteinia, Ch. & Sch

interrupta, E. M.	AB

249 Apium, Linn.
graveolens, Linn. A

250 Carum, Linn.
sp. (=Ptychotis, Meisneri, Sond.) ?

251 Sium, Linn.
Thunbergii, D. C. B—E

252 Pimpinella, Linn.
caffra, Harv. E
sp. (=Cnidium Kraussianum) B

253 Anesorhiza, Ch. & Sch.
sp. (=Peucedanum triternatum) Z

254 Peucedanum, Linn.
capense, Sond. AB
connatum, E. M. ?
sp. (=Seseli caffrum) B
sp. (= „ natalensis) B
sp. (=Govt. Herbm., 3619) ?

255 Selinum, Linn.
sp. (Cnidium suffruticosum) A

Araliaceæ.

256 Panax, Linn.
Gerrardi, Harv. B

257 Cussonia, Thb.
Gerrardi, Seem. C
Kraussii, Hochst. ?
natalensis, Sond. B
paniculata, E. & Z. D
spicata, Thb. ?
umbellifera, Sond. AB

Cornaceæ.

258 Curtisea, Ait.
faginea, Ait. DE

Rubiaceæ.

259 Cephalanthus, Linn.
natalensis, Oliv. E

260 Oldenlandia.
caffra, E. & Z. B
corymbosa, Lam. ?
decumbens, Hiern. A
Heynei, R. Br. BZ
sp. (Hedyotis amatymbica) AD
sp. („ cephalotes) A
sp. („ chlorophylla) AB
sp. („ hirtula) B
sp. („ macrophylla) A
sp. („ natalensis) B
sp. („ rupicola) ?
sp. („ tenella) C
sp. („ thymifolia D

261 Burchellia, R. Br.
capensis, R. Br. AB

262 Webera Schreb.
sp. (Kraussia pavettoides, Harv.) B

263 Randia, Linn.
lachnosiphonium, Hochst. A
rudis, E. M. AB
sp. (Stylocoryne cuspidata, E. M.) ?

264 Gardenia, Linn.
citriodora, Hook A
Gerrardiana, H. & S. A
globosa, Hochst. AB
Neuberia, E. & Z. AB
Rothmannia, L. *f.* C
Thunbergia, L. *f.* A

265 Oxyanthus, D. C.
Gerrardi, Sond. B
latifolius, Sond. A
natalensis, Sond. A

266 Kraussia, Harv.
coriacea, Sond. A
floribunda, Harv. A
lanceolata, Sond. AB

267 Tricalysia, A. Rich.
sp. (Bunburya capensis) AB

268 Pentanisia, Harv.
variabilis, Harv. A
„ var. glaucescens AB
„ „ latifolia B

269 Alberta, E. M.
magna, E. M. BC

270 Plectronia, L.
ciliata, Sond. B
pauciflora, Klotzsch ?
spinosa, Klotzsch A
sp. (=Canthium, Gueinzii, Sond.) B
sp. (= „ obovatum, Kl.) AB
sp. (=J. M. Wood, 1573) B
sp. (= „ 1808) A

271 Vangueria, Juss.
infausta, Burch. A—C
macrocalyx, Sond. B
venosa, Sond. ?

272 Fadogia, Schweinfurth
sp. (=Vangueria lasiantha, Sond.) AB
sp. (= „ latifolia, Sond.) AB
sp. (=J. M. Wood, 4528) E

273 Pavetta, Linn.

assimilis, Sond.	D
caffra, Thb.	?
Cooperi, Harv. & Sond.	CD
edentula, Sond.	?
Gerrardi, Harv. Mss.	A
lanceolata, Eck.	A
natalensis, Sond.	B
obovata, E. M.	A
sp. (=J. M. Wood, 320)	B
sp. (= „ 340, 1048)	B
sp. (= „ 340a)	B
sp. (= „ 1196)	B

274 Psychotria, Linn.

sp. (=Grumilea capensis, Sond.)	AB

275 Galopina, Thb.

circæoides, Thb.	D
oxyspermum, Steud.	AB

276 Anthospermum, Linn.

calycophyllum, Sond.	?
hispidulum, E. M.	B
lanceolatum, Thb.	AB
pumilum, Sond.	D
rigidum, E. & Z.	E

277 Hydrophylax, Linn.

carnosa, Sond.	?

278 Spermacoce, Linn.

natalensis, Hochst.	B

279 Mitracarpum, Zuccarini

Dregeanum, E. M.	AB

280 Richardsonia, Kunth

scabra, St. Hil.	A

281 Rubia, Linn.

cordifolia, Linn.	AB

282 Galium, Linn.

aparine, Linn.	E
garipense, Sond.	D
horridum, Thb.	?
rotundifolium, L.	E
subvillosum, Sond.	D

Valerianeæ.

283 Valeriana, Linn.

capensis, Thb.	B—E

Dipsaceæ.

284 Cephalaria, Schrad.

attenuata, R. & S.	A—E
rigida, R. & S.	?

285 Scabiosa, Linn.

columbaria, Linn.	AB
„ var. dissecta	DE
sp. (=J. M. Wood, 3069)	B

Compositæ.

286 Ethulia, Linn.

conyzoides, Linn.	AB

287 Vernonia, Schreb.

angulifolia, D. C.	AB
anisochaetoides, Sond.	A
corymbosa, Less.	AB
Dregeana, Sch., Bip.	AB
Gerrardi, Harv.	D
hirsuta, Sch., Bip.	A—D
Kotschyana, Steud.	AB
Kraussii, Sch., Bip.	AD
mespilifolia, Less.	A
monocephala, Harv.	B
natalensis, Sch., Bip.	A—D
pinifolia, Less.	A
senegalensis, Less.	Z
Sutherlandi, Harv.	D
vernonella, Harv.	A
sp. (=J. M. Wood, 342)	AB
sp. (= „ 3682)	Z
sp. (= „ 3887)	?

288 Adenostemma, Forst.

caffrum, D. C.	A
Dregei, D. C.	B

289 Ageratum, Linn.

conyzoides, Linn.	AB

290 Mikania, Willd.

capensis, D. C.	AB
natalensis, D. C.	?

291 Garuleum, Cass.

latifolium, Harv.	B
Woodii, Schinz	E
sp. (=J. M. Wood, 4385)	E

292 Aster, Linn.

erigeroides, Harv.	A—D
filifolius, Vent.	D
perfoliatus, Oliv.	E
natalensis, Harv.	E
sp. (Diplopappus asper, Less)	A—E
var. pleiocephalus	D

293 Felicia, Cassini

muricata, Nees	D
sp. (=J. M. Wood, 123)	C
sp. (= „ 4631)	E

294 Erigeron, Linn.

canadense, Linn.	A—C

295 Microglossa, D. C.

mespilifolia. Bth.	B

296 Nidorella, Cassini

auriculata, D. C.	B
depauperata, Harv.	D
foetida, D. C.	B
hottentottica, D. C.	Z
linifolia, D. C.	?
resedæfolia, D. C.	B

297 Conyza, Lessing

ægyptiaca, Ait.	B
incisa, Ait.	A—C
ivæfolia, Less.	A—C
obscura, D. C.	B
pinnatilobata, D. C.	B—E

298 Chrysocoma, Linn.

tenuifolia, Berg.	BC

299 Brachylæna, R. Br.

dentata, D. C.	C
discolor, D. C.	A
elliptica, Less.	B
racemosa, Less.	?
uniflora, Harv.	B

300 Tarchonanthus, Linn.

camphoratus, Linn.	C
minor, Less.	Z
trilobus, D. C.	B

301 Blumea, D. C.

lacera, D C.	AB
natalensis, Sch. Bip.	A

302 Laggera, Sch. Bip.

alata, Sch. Bip	AB

303 Denekia, Thb.

capensis, Thb.	A—E
glabrata, D. C.	D

304 Sphaeranthus, Linn.

peduncularis, D. C.	AB

305 Amphidoxa, D. C.

gnaphalodes, D. C.	B

306 Achyrocline, Less.

sp. (=J. M. Wood, 523)	B

307 Gnaphalium, Linn.

luteo-album, Linn.	AB
purpureum, Linn.	AB
undulatum, Linn.	B

308 Helichrysum, Gaertn.

adenocarpum, D. C.	A—E
alloides, Less.	?
appendiculatum, Less.	B
var discolor	B
argyrosphaerum, D. C.	?
argyrolepis, McOwan	C
aureonitens, Sch. Bip.	B
auriculatum, Less.	?
caespititium, Sond.	C
callicomum, Harv.	D
capillaceum, Less.	C
cephaloideum, D. C.	B
comosum, Sch. Bip.	C
Cooperi, Harv.	B
cymosum, Less.	A
declinatum, Less.	?
decorum, D. C.	AB
ericæfolium, Less.	B
foetidum, Cass.	?
fulgidum, Willd.	AC
Gerrardi, Harv.	A
griseum, Sond.	A
hypoleucum, Harv.	?
Kraussii, Sch. Bip.	AB
latifolium, Less.	AB
leiopodium, D. C.	B
longifolium, D. C.	B
miconiæfolium, D. C.	B
natalitium, D. C.	AB
nudifolium, Less.	B
pannosum, D. C.	AB
populifolium, D. C.	B
quinquenerve, Less.	B
rugolosum, Less.	A
serpyllifolium, Less.	B
similimum, D. C.	BC
squammosum, Thb.	A—D
stenopterum, D. C.	A
subglomeratum, Less.	B
Sutherlandi, Harv.	B
teretifolium, Less.	A
trilineatum, D. C.	E
umbraculigerum, Less.	BC
sp. (=J. M. Wood, 885)	C
„ („ 1574)	A
„ („ 1903)	B
„ („ 1905)	B
„ („ 1909)	B
„ („ 1913)	B
„ („ 1915)	B
„ („ 3051)	BC
„ („ 3079)	B
„ („ 3596)	D
„ („ 3888)	Z
„ („ 4251)	D
„ („ 4323)	D
„ („ 4557)	D

309 Leontonyx, Cassini

squarrosus, D. C.	AB

310 Cassinia, R. Br.

(Rhynea phylicifolia)	AB

311 Stoebe, Linn.
cinerea, Thb. BC
tortilis, D. C. B

312 Petalactella, N. E. B.
Woodii, N. E. B. E

313 Athrixia, Ker.
fontana, McOwan BC
Gerrardi, Harv. Z
phylicoides, D. C. A—D

314 Bojeria, D. C.
lanceolata, Bth. Z

315 Printzia, Cassini
pyrifolia, Less. AB
sp. (=J. M. Wood, 4331) C

316 Pulicaria, Gaertn.
capensis, D. C. A

317 Geigeria, Griesb.
Burkei, Harv. Z
passerinoides, Harv. Z
protensa, Harv. Z
Zeyheri, Harv. ?
sp. (=J. M. Wood, 4317) D

318 Callilepis, D. C.
laureola, D. C. A—C

319 Parthenium, Linn.
hysterophorus, Linn. A

320 Xanthium, Linn.
spinosum, Linn. A—C
strumarium, Linn. AB

321 Zinnia, Linn.
multiflora, Linn. BC

322 Siegersbeckia, Linn.
orientalis, Linn. A

323 Eclipta, Linn.
erecta, Linn. A

324 Wedelia, Jacq.
natalensis, Sond. B

325 Melanthera, Rohr.
Brownei, Sch. Bip. AB

326 Spilanthes, Linn.
africana, D. C. AB

327 Bidens, Linn.
bipinnata, Linn. B
pilosa, Linn. A—E
„ var leucantha, Willd. BC

328 Tridax, Linn.
procumbens, Linn. A

329 Athanasia, Linn.
acerosa, Harv. A—C
„ var. J. M. W., 3969 Z
coronopifolia, Harv. D
Dregeana, Harv. C
leucoclada, Harv. B
punctata, Harv. B
tridens, Oliv. D

329a Phymaspermum, Less.
Woodii, Hoffm. E

330 Chrysanthemum, Linn.
osmitoides, Harv. ?

331 Matricaria, L.
nigellæfolia, D. C. AB
sp. (=J. M. Wood, 1908) C
„ („ 3046) D

332 Cotula, Linn.
anthemoides, Linn. ?
bipinnata, Thb. A

333 Cenia, Juss.
hispida, Bth & Hk. D

334 Schistostephium, Less.
cratægifolium, Fenzl. A
rotundifolium, Fenzl BZ
sp. (= Tanacetum griseum) AB
„ („ heptalobum) B
„ („ hippiæfolium) D

335 Pentzia, Thunb.
pinnatifida, Oliv. BC
virgata, Less. ?
sp (=J. M. Wood, 3110) B

336 Artemisia, Linn.
afra, Jacq. A—C

337 Lopholaena, D. C.
Dregeana, D. C. A

338 Gynura, Cassini
cernua, Bth. BC

339 Cineraria, Linn.
atriplicifolia, D.C. B
decipiens, Harv. ?
lyrata, D. C. D
sp. (=J. M. Wood, 1895) C
„ („ 1899) B
„ („ 1898) B
„ („ 3074) B

340 Notonia, D. C.
grandiflora, D. C. B

341 Senecio, Linn.

achillæfolius, D. C. D
angulatus, Linn. A
barbatus, D. C. D
bryoniaefolius, Harv. B
bupleuroides, D. C. B
„ var. latifolius B
„ „ angustifolius B
Burchellii, D. C. B
caudatus, D. C. B
caulopterus (Fl. Cap.) non D. C. A
concolor, D, C., non. Harv. D
coronatus, Harv. B
crenatus, Thb. Z
crenulatus, D. C. B
„ var. discoideus C
decurrens, D. C. B
deltoideus, Less. AB
Dregeanus, D. C. B
„ var. discoideus B
„ „ (J. M. Wood, 3614) A
erubescens Ait. A
„ var crepidifolius A
„ „ dichotomus ?
„ „ incisus B
Gerrardi, Harv. BZ
Harveianus, McOwan C
juniperinus, L. B
lanceus, Ait. A
latifolius, D. C. ?
macrocephalus, D. C. ?
macroglossus, D. C. B
mikanioides, Ott. ?
napifolius, McOwan D
othonnaeflorus, D. C. C
oxyodontus, D. C. BZ
oxyriæfolius, D. C. B
pandurifolius, Harv. BC
paniculatus, Berg. A
pellucidus, D. C. B
picridifolius, D. C. AB
pterophorus, D.C. A
„ var. apterus B
purpureus, Linn. B
quinquelobus, D. C.
„ var. helminthoideus B
„ „ (=J. M. Wood, 573B) B
rhomboideus, Harv. B
rhyncholaenus, D. C. BC
rigidus, Linn. D
ruderalis, Harv. A
Sandersoni, Harv. B
segmentatus, Oliv. B
serra, Sond. ?
serratus, Sond. AZ
serratuloides, D. C. AB
speciosus, W. AB
tamoides, D. C. AB
sp. (=J. M. Wood, 65) B
sp. (= „ 176) B
sp. (= „ 162, 341, 1010) BC
sp. (=J. M. Wood, 995) B
sp. (= „ 1015) B
sp. (= „ 1393) B
sp. (= „ 1544) A
sp. (= „ 3049) D
sp. (= „ 3612) D
sp. (= „ 3630) D
sp. (= „ 3868) Z
sp. (= „ 4040) D

342 Kleinia, Harv.

fulgens B

343 Euryops, Cassini

tenuissimus, Less. B
sp. (=J. M. Wood, 3601) E
sp. (= „ 3609) D

344 Gamolepis, Less.

debilis, Harv. A—D
laxa, Harv. Z

345 Othonna, Linn.

carnosa, Less.
„ var. discoidea Oliv. A
natalensis, Sch. Bip. BC
scapigera, Harv. D
sp. (=Lopholaena platyphylla) ?
sp. (=J. M. Wood, 3915) ?

346 Dimorphotheca, Moench

Barberiæ, Harv. ?
caulescens, Harv. D
cuneata, Less. ?
fruticosa, Less. A

347 Tripteris, Less.

natalensis, Harv. ?

348 Oligocarpus, Less.

calendulaceus, Less. D

349 Osteospermum, Linn.

calendulaceum, Harv. ?
caulescens, Harv. D
grandidentatum, D. C. B
helichrysoides, D. C. ?
herbaceum, Linn. B
lanceolatum, D. C. ?
moniliferum, Linn. A—C
muricatum, E. M. DZ
nervatum, D. C. BZ

350 Ursinia, Gaertn.

apiculata, D. C. ?
natalensis, N. E. B. CZ
tenuiloba, D. C. D
sp. (=J. M. Wood, 3603) E

351 Haplocarpha, Less.

lyrata, Harv. A
scaposa, Harv. DE

352 Cryptostemma, R. Br.

calendulaceum, R. Br. B

353 Venidium, Less.

arctotoides, Less. DE
microcephalum, D. C. D

354 Gazania Gaertn.

longiscapa, D. C. A—C
serrulata, D. C. ?
uniflora, Sims. A

355 Berkheya, Ehrh.

debilis, McOwan B
setifera, D. C. B
subulata, Harv. BZ
umbellata, D. C. B
sp. (=J. M. Wood, 703) B
sp. (= „ 589, 967) B
sp. (Stoboea acanthopoda) D
sp. (= „ discolor) B
sp. (= „ echinacea) Z
sp. (= „ Gerrardi) ?
sp. (= „ insignis) A
sp. (= „ McKenii) D
sp (= „ platyptera) B
sp. (= „ rhapontica) AB
sp. (= „ seminivea) B
sp. (= „ speciosa) AB

356 Platycarpha, Less.

glomerata, Less. B

357 Dicoma, Cassini

anomala, Sond.
„ var. cirsioides B—D
argyrophylla, Oliv. C
macrocephala, D. C. D
speciosa, D. C. B
Zeyheri, Sond. Z

358 Anisochaeta, D. C.

mikanioides, D. C. B

359 Gerbera, Gronovius

aurantiaca, Sch. Bip. CD
Kraussii, Sch. Bip. A—E
natalensis, Sch. Bip. B
piloselloides, Cass. A—E
plantaginea, Harv. D
viridifolia, Sch. Bip. B

360 Hieracium, Linn.

capense, Linn. B—D
„ var. microcephala D
polyodon, Fries. B

361 Crepis, Linn.

sp. (=J. M. Wood, 671, 4384) BC

362 Hypochæris, Linn.

glabra, Linn. A

363 Lactuca, Linn.

capensis, Thb. AB
indica, Linn. B

364 Sonchus, Linn.

integrifolius, Harv. AB
oleraceus, Linn. A—D
rarifolius, Oliv. & Hiern. B
sp. (=J. M. Wood, 1381) BZ

Goodenovieæ.

365 Scaevola, Linn.

lobelia, Linn. A

Campanulaceæ.

366 Lobelia, Linn.

anceps, Thb. A—D
coronopifolia, Linn. A
decipiens, Sond. A—E
erinus, Linn. AB
laxa, Macowan D
natalensis, A. D. C. D
patula, Linn.
„ var. pteropoda B
Preslii, A. D. C. E
sp. (=Dobrowskia scabra, var. glabrata) A—C
sp. („ stellarioides Presl. var.) AB Z
sp. (Metzleria Dregeana) DE
sp. (Parastranthus thermalis) ?
sp. (Grammatotheca erinoides) ?
sp. („ Dregeana) ?

367 Cyphia, Bergius

corylifolia, Harv. Z
digitata, Willd. ?
elata, Harv. B—D
Gerrardi, Harv. Z
heterophylla, Presl. D
oblongifolia, Harv. & Sond. Z
sp. (=J. M. Wood, 1838) C
sp. (= „ 4271) D
sp. (= „ 4399) E
sp. (= „ 4569) E

368 Lightfootia, L'Herit

denticulata, Sond. C
Huttoni, Sond. B
tenella, A. D. C. ?

369 Wahlenbergia, Schrad.

caledonica, Sond. BC
capensis, A. D. C. E
capillacea, A. D. C. B
cernua, A. D. C. ?
epacridea, Sond. Z
montana, D.C. E
oppositifolia, A. D. C. BC
paucidentata, Schinz. B
undulata, A. D. C. B
Zeyheri, E. & Z.
„ var. natalensis BC

370 Roella, Linn.

glomerata, A. D. C. A

Ericaceæ.

371 Erica, Linn.

aspalathifolia, Bolus BC
cerynthoides, Linn. BC
Cooperi, Bolus BC
cubica, Linn. BC
hispidula L. *f* E
natalitia, Bolus B
Oatesii, R. A. Rolfe E
urceolaris, Berg B
Schlechteri, Bolus D
sp. (=Gerr. & McKen, 1476) ?
sp. (=J. M. Wood, 3933) D
sp. (= „ 4281) E
sp. (= „ 873) C
sp. (= „ 1839) C
sp. (= „ 1857) C
sp. (= „ 3389) C

Plumbagineæ.

372 Plumbago, Linn.

capensis, Thb. BC
„ var. alba D

Primulaceæ.

373 Anagallis, Linn.

Huttoni, Harv. C
crassifolia, ? Gerr. & McKen, 1868

374 Samolus, Linn.

campanuloides? G. & McKen, 657
porosus, Thb. A
Valerandi, Linn. A

Myrsineæ.

375 Mæsa, Forsk.

alnifolia, Harv. AB
sp. (=J. M. Wood, 1117) AB

376 Myrsine, Linn.

melanophleus, R. Br. B

377 Samara, Linn.

sp. (Embelia, Kraussii) A

Sapotaceæ.

378 Chrysophyllum, Linn.

natalense, Sond. AB

379 Sideroxylon, Linn.

inerme, Linn. AB

380 Labourdonnasia, Bojer.

discolor, Sond. B

381 Mimusops, Linn.

caffra, E. M. A
obovata, Sond. AB
sp. (J. M. Wood, 1661) B

Ebenaceæ.

382 Royena, Linn.

cordata, E. M. BC
hirsuta, Linn. D
nitens, Harv. ?
pallens, Thb. AB
villosa, Linn. AB

383 Euclea, Linn.

daphnoides, Hiern. D
lanceolata, E. M. AB
macrophylla, E. M. ?
multiflora, Hiern. ?
natalensis, A. D. C. AB
undulata, Thb. ?

384 Maba, Foster

natalensis, Harv. AB

Oleaceæ.

385 Jasminium, Linn.

angulare, Vahl. E
Gerrardi (Gerr. & McKen, 1477) ?
multipartitum, Hochst. AB
streptopus, E. M. AB

386 Menodora, H. & B.

africana, Hk. D

387 Schrebera, Roxb.

alata, Welw. A

388 Olea, Linn.

foveolata, E. M. AB
laurifolia, Lam. B
verrucosa, Link. A

Apocynaceæ.

389 Carissa, Linn.

acuminata, A. D. C. A
arduinia, Lam. AB
grandiflora, A. D. C. A

390 Acokanthera, G. Don.

spectabilis, Bth. A
venenata, Don. A

391 Rauwolfia, Linn.

natalensis, Sond. AB

392 Orchipeda, Blume.
Dregei, ? A

393 Tabernæmontana, Linn.
ventricosa, Hochst. B
sp. (Voacanga, Thouarsii) AB
sp. (=J. M. Wood, 3721) Z

394 Strophanthus, D. C.
capensis, D. C. D

Asclepiadeæ.

395 Cryptolepis, R. Br.
capensis, Schltr. B

396 Ectadiopsis, Bth.
oblongifolia, Bth. AB

397 Pentopetia, Dcne.
sp. (=J. M. Wood, 3634) A

398 Raphionacme, Harv.
macrorhiza, Schltr. (=densiflora, Harv.) AB
purpurea, Harv. B
scandens, Harv. (G. & McK, 1312)
sp. (=J. M. Wood, 849) B
sp. (= „ 1849) C

399 Chlorocodon, Hook
Whitei, Hk.*f* BZ

400 Secamone, R. Br.
acutifolia, Harv. (G. & McK., 595)
frutescens, Dcne. AB
Gerrardi B
Thunbergii, E. M. A

401 Xysmalobium, R. Br.
confusum, Elliott B
Gerrardi, Elliott ?
involucratum, Dcne. A—C
padifolium, Elliott AZ
parviflorum, Harv. MSS. D
Stockenstromense, Elliott C—E
undulatum, R. Br. D

402 Schizoglossum, E. M.
atropurpureum, E. M. E
euphorbioides, E. M. (Drege)
fasciculare, Schltr. B—E
macrum, Harv. (G. & McK., 1313)
natalensis, Schltr. B
nitidum, Schltr. ?
pachyglossum, Schltr. D
pulchellum, Schltr. E
stenoglossum, Schltr. B—D
„ var. longipes D
virens, E. M. (G. & McK., 4)
viridiflorum, Schltr. B
Woodii, Schltr. D
sp. (=Gerrard & McKen, 3)
sp. (= „ „ 16)
sp. (= „ „ 1368)
sp. (=Lagarinthus interruptus)
sp. (=J. M. Wood, 3012) A
sp. (= „ 740) B

403 Gomphocarpus, R. Br.
albens, E.M. AB
appendiculatus, Dcne. B
asper, Harv. (G. & McK., 1285) ?
brevicuspis, Dcne. B
campanulatus, Harv. C
cultriformis, Harv. B
dealbatus, Dcne. D
eminens, Harv. CD
fruticosus, R. Br. D
Gerrardi, Harv. Z
gibbus, Dcne. D
grandiflorus, Dcne. C
lanatus, E. M. D
macropus, Schltr. D
marginatus, Dcne. B
McKenii Z
ochroleucus, Schltr. B
peltigerus, Dcne. B
physocarpus, E.M. AB
reflectus, Dcne. B
revolutus, Dcne D
scaber, Harv. C
truncatus, Dcne B
verticillatus, E. M. D

404 Asclepias, Linn.
schizoglossoides, Schltr. C

405 Woodia, Schltr.
verruculosa, Schltr. CD

406 Pentarrhinum, E. M.
insipidum, E. M. AZ

407 Cordylogyne, E. M.
globosa, E. M. E
sp. (Periglossum, McKenii, Harv.) DE

408 Fanninia, Harv.
caloglossa, Harv. D

409 Vincetoxicum, Moench.
sp. (=Cynoctonum capense) A
sp. (=Govt. Herbm., 5997) A

410 Cynanchium, Linn.
crassifolium, L.*f* A

411 Sarcostemma, R. Br.
aphyllum, Br. ?
viminale, R. Br. AB

412 Gymnema, R. Br.
sylvestre, R. Br. B

413 Tylophora, R. Br.

Flanagani, Schltr. A
syringaefolia, E. M. A

414 Pergularia, Linn.

virens (G. & McKen, 1804)
sp. (=J. M. Wood, 3395) A

415 Dregea, E.M.

floribunda, E. M. A

416 Micraster, Harv.

pulchellus, Harv. B

417 Sisyranthus, E. M.

imberbis, Harv. AB
rotatus, Schltr. D
virgatus, E. M. ?

418 Ceropegia, Linn.

linearis, E. M. ?
Meyeri, Dcne. DE
McKenii ? (G. & McK., 8) ?
Sandersoni, Dcne. AZ
Woodii, Schltr. BC
sp. (=J. M. Wood, 1318) B

419 Riocreuxia, Dcne.

torulosa A—E
sp. (=J. M. Wood, 512) B
sp. (= „ „ 338)

420 Dichælia, Harv.

Gerrardi, Harv. ?

421 Brachystelma, R. Br.

Gerrardi, Harv. B
natalense, Schltr. AB

422 Anisotome, Fenzl.

sp. (=J. M. Wood, 410) B

423 Caralluma, R. Br.

lutea, N. E. B. D

424 Stapelia, Linn.

gigantea, N. E. B. Z
Woodii, N. E. B. B

425 Huernia, R. Br.

hystrix, N. E. B. BC

Loganiaceæ.

426 Gomphostigma, Turcz.

scoparioides, Turcz. D

427 Nuxia, Lam.

congesta, R. Br. B
floribunda, Bth. B
oppositifolia, Bth. A
sp. (=J. M. Wood, 1590) B
sp. (= „ 3190) A

428 Chilianthus, Burch.

dyssophilus, Bth AB
oleaceus, Burch. A
sp. (=J. M. Wood, 705) B

429 Buddleia, Linn.

salviæfolia, Lam. A—E
sp. (=J. M. Wood, 574) B

430 Strychnos, Linn.

Atherstonei, Harv. A
baculum ? (=G. & McK., 847)
McKenii ? (= „ 1421)
spinosa, Lam. AB
umbanda ? A
sp. (=G. & McKen, 1422)

Gentianeæ.

431 Sebæa, R. Br.

aurea, R. Br. A
crassulaefolia, E & Schl. B—E
„ var. lanceolata, Schinz D

432 Belmontia, E. M.

grandis, E. M. AB
Zeyheri, Schinz A
sp. (=J. M. Wood, 133) B
sp. (= „ 922) C
sp. (= „ 1884) B

433 Chironia, Linn.

baccifera, Linn. A
densiflora, Elliott B—E
palustris, Burch. C
peduncularis, Ldl. ?
sp. (=J. M. Wood, 983) A

434 Limnanthemum, Gmelin

Thunbergianum, Griesb. AB

Borragineæ.

435 Cordia, Linn.

caffra, Sond. AB

436 Ehretia, Linn.

hottentottica, Burch. B

437 Cynoglossum, Linn.

enerve, Turcz. B
micranthum, Desf. B—D

438 Anchusa, Linn.

capensis, Thb. ?

439 Myosotis, Linn.

sp. (J. M. Wood, 3184, 3487) DE

440 Lithospermum, Linn.

arvense (=G. & McK., 13)
cinereum, A. D. C. D

441 Tysonia, Bolus
africana, Bolus D

Convolvulaceæ.

442 Ipomœa, Linn.
albivenia, G. Don. D
angustifolia, Jacq. AB
argyrioides, Choisy D
biloba, Forsk. A
calystegioides, E. M. B
crassipes, Hk. A—D
digitata, Linn. A
fragilis, Choisy B
Gerrardi, Hk. *f.* ?
holosericea, E. M. AB
oblongata, E. M. D
obscura, Ker. A
ovata, E. M. B
palmata, Forsk. AB
purpurea, Roth. A
simplex, Thb. B
Woodii, ? Z
sp. (=J. M. Wood, 413) AB
sp. (= „ 1310) B
sp. (= „ 1258) B
sp. (= „ 3460) D
sp. (= „ 3500) D
sp. (= „ 3838) A
sp. (= „ 4146) Z

443 Hewittea, W. & A.
bicolor, W. & A. AB

444 Calystegia, R. Br.
sp. (Gerr. & McKen, 1330) ?

445 Jacquemontia, Chois.
capitata, G. Don. var. A

446 Convolvulus, Linn.
calycinus, Drege B
farinosus, Linn. AZ
natalensis, Bernh. D
sagittatus, Thb. D
sp. (=J. M. Wood, 4071) D

447 Evolvulus, Linn.
alsinoides, Linn. A—C
capensis (G. & McKen, 1336) ?

448 Falkia, Linn.
oblonga, Bernh. A

449 Dichondra, Foster
repens, Foster B

450 Cuscuta, Linn.
africana, Willd. (G. & McK., 1337)
cassythioides, Eng. C
sp. (=J. M. Wood, 596) B

Solanaceæ.

451 Solanum, Linn.
aculeatissimum, Jacq. E
auriculatum, Ait. A
capense, L. *f* B
indicum, Linn. B
nigrum, Linn, B
panduræforme, E. M. B
sanctum, Linn. A
sp. (=J. M. Wood, 1623) B

452 Physalis, Linn.
peruviana, Linn. AB

453 Withania, Pauq.
somnifera, Don. A

454 Nicandra, Adans
physaloides, Gaertn. A—C

455 Lycium, Linn.
acutifolium, E. M. AB
sp. (Govt. Herbm., 3788) C

456 Datura, Linn.
stramonium, Linn. AB

Scrophularineæ.

457 Diascia, Link. & Ott.
rigescens, E. M. E
sp. (=J. M. Wood, 1841) B
sp. (= „ 3564) D

458 Nemesia, Vent.
cynanchifolia, Bth. A
floribunda ?
fœtens, Vent. B
melissæfolia, Bth. BC
pubescens, Bth. ?
sp. (=J. M. Wood, 1861) B
sp. (= „ 3039) A
sp. (= „ 3622) D
sp. (= „ 4073) D

459 Diclis, Bth.
reptans, Bth. B—E

460 Phygelius, E. M.
capensis, E. M. C—E

461 Dermatobotrys, Bolus
Saundersii, Bolus Z

462 Halleria, Linn.
lucida, Linn. AB

463 Teedia, Rudolph
lucida, Rud. B

464 Anastrabe, E. M.
integerrima, E. M. AB

465 Bowkeria, Harv.

cymosa, Macowan	?
triphylla, Harv.	C—E

466 Zaluzianskya, J. W. Schmidt

capensis, Walp.	E
lychnoidea, Desv.	B
maritima, Walp.	E
sp. (=J. M. Wood, 1819)	?
sp. (= „ 3488)	D
sp. (= „ 5171)	E

467 Phyllopodium, Bth.

bracteatum, Bth.	A

468 Chaenostoma, Bth.

floribundum, Bth.	A—E
sp. (=J. M. Wood, 124)	B
sp. (= „ 3035)	B
sp. (= „ 3572)	D
sp. (= „ 3982)	Z

469 Lyperia, Bth.

atropurpurea, Bth.	DE
Kraussiana, Burch.	B
multifida, Bth.	D
sp. (=Gerr. & McKen, 1243)	?
sp. (=J. M. Wood, 3897)	?
sp. (= „ 4044)	C

470 Manulea, Linn.

parviflora, Bth.	AB
sp. (=J. M. Wood, 3935)	E
sp. (= „ 4397)	E

471 Mimulus, Linn.

gracilis, R. Br.	A—E

472 Ilysanthes, Rafin

capensis, Bth.	B

473 Bonnaya, Link. & Ott.

sp. (=J. M. Wood, 1244)	B

474 Limosella, Linn.

sp. (=J. M. Wood, 3586)	D

475 Veronica, Linn.

anagallis-aquatica, Linn.	D

476 Melasma, Berg.

scabrum, Berg.	BC

477 Alectra, Thb.

melampyroides, Bth.	A—C
orobanchoides, Bth.	B
sp. (=J. M. Wood, 1588)	A

478 Harveya, Hook

sp. (Aulaya coccinea, Harv.)	A
sp. (=J. M. Wood, 3409)	B
sp. (=Govt. Herbm., 3752)	Z

479 Buchnera, Linn.

dura, Bth.	A
glabrata, Bth.	D

480 Striga, Lour.

coccinea, Bth.	A—D
elegans, Bth.	D
Forbesii, Bth.	AB
orobanchoides, Bth.	C
Thunbergii, Bth.	B

481 Rhamphicarpa, Bth.

tubulosa, Bth.	A

482 Cycnium, E. M.

adoense, E. M.	B
racemosum, Bth.	B—E
Sandersoni, Harv.	?
tubatum, Bth.	A—D

483 Buttonia, McKen

natalensis, McKen	AB

484 Sopubia, Hamilton

cana, Harv.	BC
Dregeana, Bth.	AB

485 Graderia, Bth.

scabra, Bth.	A—E

Lentibularineæ.

486 Utricularia, Linn.

diantha, R. & S.	A
livida, E. M.	B
prehensilis, E. M.	AB
Sandersoni, Oliv.	B
stellaris, Linn.	AB
sp. (=J. M. Wood, 4915)	A

Gesneraceæ.

487 Streptocarpus, Ldl.

Faninniæ, Harv.	D
„ var. minor	D
parviflorus, E. M.	A—C
polyanthus, Hook	C
Rexii, Ldl.	B
Saundersii, Hk.	B
sp. (=J. M. Wood, 4234)	B
sp. (=Govt. Herbm., 3438)	Z

Bignoniaceæ.

488 Tecoma, Juss.

capensis, E. M.	AB

489 Kigelia, D. C.

pinnata, D. C.	AB

Pedalineæ.

490 Sesamum, Linn.

indicum, D. C. A

491 Ceratotheca, Endl.

triloba, E. M. AB
„ var. alba B

Acanthaceæ.

492 Thunbergia, Linn.

alata, Bojer A
angulata, T. & B. B
atriplicifolia, E. M. A—E
Dregeana, Nees AB
natalensis, Hook BC
sericea, Harv. ?
sp. (=J. M. Wood, 643) B
sp. (= „ 696) B

493 Calophanes, Don.

Burkei, T. And. A—C
crenata, Schinz. A
sp. (=J. M. Wood, 3623) D

494 Ruellia, Linn.

cordifolia ? B
ovata, Thb. C
sp. (=J. M. Wood, 1375) B
sp. (= „ 4053) C

495 Phaylopsis, Willd.

sp. (=Aetheilema imbricatum) A

496 Blepharis, Juss.

boerhaviæfolia, Pers. B
hirtinervia, T. And. D
saturicœfolia, Pers. BC
sp. (=J. M. Wood, 879, 3060) C

497 Sclerochiton, Harv.

Harveyanus, Nees B

498 Barleria, Linn.

Gueinzii, Sond. ?
Gerrardiana, Harv. ?
macrostegia, Nees D
Meyeriana, Nees AB
obtusa, Nees ?
ovata, E. M. C
sp. (=J. M. Wood, 803) B

499 Crabbea, Harv.

hirsuta, Harv. AB
sp. (=J. M. Wood, 365) B
sp. (= „ 3635) D

500 Asystasia, Blume

coromandeliana, Nees AB
varia, N. E. B. Z
sp. (=Mackaya bella, Harv.) AB

501 Ruttya, Harv.

ovata, Harv. B

502 Justicia, Linn

betonica, Linn. AB
campylostemon, T. And. B
debilis, Lam. B
fasciata, E. M. A
natalensis, T. And. AB
protracta, T. And. AB

503 Isoglossa, Oerst.

ovata, Nees AB
sp. (=Ecteinanthus origanioides) A
sp. (=Rhitiglossa prolixa) B

504 Adhatoda, Nees

sp. (=Duvernoia adhatodes) B

505 Rhinacanthus, Nees

communis, Nees AB

506 Dicliptera, Juss

heterostegia, Nees A

507 Peristrophe, Nees

bicalyculata, Nees A

508 Hypoestes, R Br.

aristata, R. Br. AB
verticillaris, R. Br. B
„ var. glabra BZ
sp. (=J. M. Wood, 1058) BC
sp. (= „ 1818) B

Selagineæ.

509 Hebenstretia, Linn

comosa, Hochst. AB
integrifolia, Linn. A
polystachya, Harv. BC
sp. (=J. M. Wood, 3620) B
sp. (= „ 4194) E

510 Selago, Linn

hyssopifolia, E. M. AB
racemosa, Bernh. AB
sp. (=J. M. Wood, 521) B
sp. (= „ 1858) B
sp. (= „ 3006) B
sp. (= „ 3485) D
sp. (= „ 3967) Z

Verbenaceæ.

511 Lantana, Linn

salviaefolia, Jacq. B

512 Lippia, Linn

asperifolia, Rich. B
nodiflora, Rich. A

513 Bouchea, Cham

cuneifolia, Sch. BC
latifolia, Harv. BC

514 Priva, Adans
dentata, Juss. A

515 Verbena, Linn
officinalis, Linn. B

516 Clerodendron, Linn
glabrum, E. M. AB
sp. (=Cyclonema serratum, Hochst.) B
sp. (= „ triphyllum, Harv. A—E

517 Avicennia, Linn
officinalis, Linn. A

Labiatæ.

518 Ocimum, Linn
obovatum, E. M. A—D
obtusifolium, E. M. B
rariflorum, Hochst. B
suave, Willd. BZ

519 Moschosma, Reich.
riparia, Hochst. AB

520 Orthosiphon, Bth.
sp. (=Ocimum teucriifolium) B
sp. (=J. M. Wood, 3107) B
sp. (= „ 3554) D
sp. (= „ 3573) D

521 Syncolostemon, E. M.
densiflorus, Bth. B—D
parviflorus, var. B
ramulosum, E. M. A
rotundifolius, E. M. B
sp. (=J. M. Wood, 1883, 1994) A
sp. (= „ 3875) Z

522 Plectranthus, L'Herit
calycinus, Bth. BC
ciliatus, E. M. B
coloratus, E. M. B
esculentus, N. E. B. B
floribundus, N. E. B. B
laxiflorus, Bth. B
marrubioides, Hochst. Z
petiolaris, E. M. A
purpuratus, Harv. B
saccatus, Bth. BC
tomentosus, Bth. AB
sp. (=J. M. Wood, 1843) B
sp. (= „ 1864, 3117) B
sp. (= „ 3036) BZ
sp. (= „ 3167) B
sp. (= „ 3977) Z
sp. (= „ 3981) Z

523 Coleus
sp. (=J. M. Wood, 4340) C

524 Aeolanthus, Mart
parvifolius, Bth. B

525 Pycnostachys, Hk
reticulata, Bth. A—C

526 Hyptis, Jacq.
pectinata, Poir AB

527 Mentha, Linn
aquatica, Linn. AB
viridis, Linn. D

528 Micromeria, Bth
pilosa, Bth. B

529 Salvia, Linn
stenophylla, Burch. D
sp. (=J. M. Wood, 3621) D
sp. (= „ 4042) CD

530 Stachys, Linn
aethiopica, Linn. A
caffra, E. M. B—E
grandifolia, E. M. D
hyssopioides, Burch. D
nigricans, Bth. B
tubulosa, Macowan DE
sp. (=J. M. Wood, 1846) B
sp. (= „ 4806) C

531 Leucas, R. Br
glabrata, Br. C
martinicensis, R. Br. B

532 Lasiocorys, Bth
capensis, Bth. C

533 Leonotis, Persoon
dubia, E. M. BC
laxifolia, Macowan ?
leonurus, Brown A—C
nepetaefolius ? (W. Keit, 393) ?
rugosa ? („ 362) ?

534 Teucrium, Linn
capense, Thb. C
riparium, Hochst. B

535 Ajuga, Linn
ophrydis, Burch. B—E

Plantagineæ.

536 Plantago, Linn
Dregeana, Dene. A
lanceolata, Linn. D
major, Linn. ?
sp. (=J. M. Wood, 4049) D

Nyctagineæ.

537 Boerhaavia, Linn
pentandra, Burch. C
scandens ? (G. & McK., 1488) ?
sp. (=J. M. Wood, 4495) A

Illecebraceæ.

538 Pollichia, Solander
campestris, Solander B—D

539 Corrigiola, Linn.
littoralis, Linn. B

Amarantaceæ.

540 Celosia, Linn.
trigyna, Linn. AB

541 Hermbstœdtia, Reich.
caffra, Moq. BC
sp. (=J. M. Wood, 3989) Z

542 Amarantus, Linn
paniculatus, Linn. D
spinosus, Linn. A
Thunbergii, Moq. A—D

543 Sericocoma, Fenzl.
angustifolia, Hk. *f* C
chrysurus, Meisn. AB

544 Cyathula, Loureiro
cylindrica, Moq. BC
globulifera, Moq. AB
lappacea, Moq. E
sp. (=J. M. Wood, 1323) B

545 Pupalia, Juss
atropurpurea ? (=G. & McK., 476)

546 Psilotrichum, Blume
africanum, Oliv. Z
„ var. (=J. M. Wood, 3936) Z

547 Aerva, Forsk.
lanata, Juss. AB

548 Achryanthes, Linn.
aspera, Linn. AB
avicularis, E. M. (G. & McK., 477)

549 Alternanthera, Forsk.
sessilis, R. Br. A

550 Gomphrena, Linn.
globosa, Linn. A

Chenopodiaceæ.

551 Chenopodium, Linn.
ambrosioides, Linn. A
Botrys, Linn. BC
murale, Linn. AB

552 Chenolea, Thb.
diffusa, Thb. A

553 Salicornia, Linn.
herbacea, Linn. A

Phytolaccaceæ.

554 Phytolacca, Linn.
abyssinica, Hoffm. BC
octandra, Linn. BC
stricta, Hoffm. B

Polygonaceæ.

555 Oxygonum, Burch.
Dregeanum, Meisn. AB

556 Polygonum, Linn.
alatum, Hamilton B
aviculare, Linn. E
lanigerum, R. Br. A
lapathifolium, Linn. A
minus, Huds. (G. & McK., 482) ?
serrulatum, Lag. C
tomentosum, Willd. AB

557 Rumex, Linn.
acetosella, Linn. D
Ecklonianus, Meisn. B
lanceolatus * ?
sp. (=J. M. Wood, 3583) D

Podostemaceæ.

558 Hydrostachys, Thouars
natalensis, Wedd. A—C

Piperaceæ.

559 Piper, Linn.
capense, Linn. *f*. BC

560 Peperomia, Ruiz & Pav.
caffra, E. M. BC

Laurineæ.

561 Cryptocarya, R. Br.
acuminata, Schinz AB
latifolia, Sond. ?
sp. (=J. M. Wood, 1402) B
sp. (= „ 3033) B

562 Ocotea, Aublet
(Oreodaphne bullata, Nees) C

563 Cassytha, Linn.
capensis, Meisn. ?

Proteaceæ.

564 Protea, Linn.

abyssinica, Willd. ?
hirta * A—D
lanceolata (G. & McK., 783) E
sp. (=J. M. Wood, 3514) E

565 Faurea, Harv.

saligna, Harv. AB

Thymeliaceæ.

566 Dais, Linn

cotinifolia, Harv. C—E

567 Arthrosolen, C. A. Mey

calocephala, C. A. M. BC
pimelioides, Meisn. ?
sp. (=J. M. Wood, 241) AB

568 Passerina, Linn.

filiformis, Linn. BC
sp. (=J. M. Wood, 1712) A
sp. (= „ 3464) D

569 Struthiola, Linn.

sp. (=J. M. Wood, 3030) C

570 Gnidia, Linn.

microcephala, Meisn. E
ovalifolia, Meisn. BC
sp. (=J. M. Wood, 755) A
sp. (= „ 3031) C

571 Lasiosiphon, Fresen

caffer, Meisn. E
Kraussii, Meisn. B
linifolius, Dene. D
macropetalus, Meisn. AB
sp. (=J. M. Wood, 115) B
sp. (= „ 3159) C
sp. (= „ 3448) D
sp. (= „ 3852) A

572 Peddeia, Harv.

africana, Harv. AB

Loranthaceæ.

573 Loranthus, Linn.

Dregei, E. & Z. A
Kraussianus, Meisn. AB
natalitius, Meisn. A
„ var. minor
quinquenervius, Hochst. A
sp. (=J. M. Wood, 3874) Z

574 Viscum, Linn.

continuum, E. M. A
dichotomum, Don. ?
obovatum, Harv. A
rotundifolium, Thb. A
sp. (=J. M. Wood, 3864) Z

Santalaceæ.

575 Thesium, Linn

junceum, Bernh. A—D
sp. (=J. M. Wood, 262) B
sp. (= „ 249) B
sp. (= „ 756, 3105) AB
sp. (= „ 1095, 3003) B
sp. (= „ 1141) B
sp. (= „ 3574) D
sp. (= „ 3582) D
sp. (= „ 4432) D

576 Osyridocarpus, A. D. C.

natalensis, A. D. C. AB

577 Colpoon, Bergius

compressum, Berg. BC

578 Osyris, Linn.

abyssinica, Hochst. ?

Euphorbiaceæ.

579 Euphorbia, Linn.

bupleurifolia, Jacq. B
cervicornis, Boiss. A
epicyparissias, E. M. A
erubescens, E. M. A—C
ericoides, Lam. ?
grandidens, Harv. A
Gueinzii, Bois A
hypericifolia, Linn. A
indica, Lam. A
natalensis, Bernh. A
oxystegia, Boiss. A
peplus, Linn. A
pilulifera, Linn. A
rhombifolia, Boiss. C
sanguinea, E. M. A—C
striata, Thb. A—E
sp. (=J. M. Wood, 61) AB
sp. (= „ 1407) D

580 Synadenium, Boiss.

arborescens, Hk. *f* AB

581 Notobuxus, Oliver

natalensis, Oliver AB

582 Bridelia, Willd.

micrantha, Planch. AB

583 Phyllanthus, Linn.

genistoides, Sond. A
glaucophyllus, Meisn. AB
myrtaceus ? (G. & McK., 1162) ?
tenellus, Roxb. A
sp. (=J. M. Wood, 855, 1765) AB

584 Cyclostemon, Blume

argutus, Mull. Arg. AB
natalensis, Oliv. A

585 Antidesma, Linn.
venosum, E. M. AB

586 Jatropha, Kth.
hirsuta, Hochst. AB
natalensis, Mull. Arg. CD
sp. (=J. M. Wood, 4242) D

587 Croton, Linn.
sylvaticus, Hochst. AB

588 Cluytia, Ait.
alaternoides, Linn. ?
heterophylla, Thb. ?
hirsuta, Mull. Arg. B
natalensis, Bernh. D
pulchella, Linn. A—C
sp. (=J. M. Wood, 1990) B

589 Claoxylon, A. Jussieu
capense, Baill. AZ
sp. (=J. M. Wood, 1391) A

590 Leidesia, Mull. Arg.
capensis, Mull. Arg. B

591 Adenocline, Turcz.
mercurialis, Turcz. B
sp. (=J. M. Wood, 253) BZ

592 Acalypha, Linn.
Eckloni, Baill. B
peduncularis, Meisn. B
petiolaris, Krauss. AB
sp. (=J. M. Wood, 1241) B
sp. (= „ 4552) D

593 Macaranga, Thouars.
(Mappa capensis, E. M.) AB

594 Ricinus, Linn.
communis Linn. A—C

595 Dalechampia, Linn.
capensis, Spreng. AB

596 Excœcaria, Linn.
africana, Mull. Arg. A
integerrima = A
reticulata, Mull. Arg. A
sp. (=J. M. Wood, 954) B
sp. (= „ 991) B

597 Tragia, Linn.
(=Ctenomeria cordata, Harv.) AB
sp. (=J. M. Wood, 741) B

598 Gelonium, Roxb.
africanum, Mull. Arg. A

Urticaceæ.

599 Celtis, Linn.
Kraussiana, Bernh. A
rhamnifolia Presl. D

600 Trema, Lour.
bracteolata, Blume AB

601 Chætachme
aristata, Planch. AB
nitida, Planch & Harv. ?

602 Cannabis, Linn.
sativa, Linn. A—C

603 Ficus, Linn.
capensis, Thb. ?
cordata, Thb. ?
mapumulo, Gerr. MSS. B
natalensis, Hochst. ?

604 Urtica, Linn.
urens, Linn. A
sp. A

605 Fleurya, Gaud.
capensis, Wedd. B
grossa, Wedd. B
sp. (=J. M. Wood, 716) B
sp. (= „ 1880) B

606 Urera, Gaud.
tenax, N. E. B. AB
sp. (=J. M. Wood, 1803) B

607 Droguetia, Gaud.
urticoides, Wedd. A
sp. (=J. M. Wood, 3152) D

608 Australina, Gaud.
acuminata Wedd. A

Myricaceæ.

609 Myrica, Linn.
æthiopica ? ?
sp. (=J. M. Wood, 985) AB

Salicineæ.

610 Salix, Linn.
capensis, Thb. var. DE

Ceratophylleæ.

611 Ceratophyllum, Linn.
sp. (=J. M. Wood, 4000) A

GYMNOSPERMEÆ.

Conifereæ.

612 Callitris, Vent.

cupressoides, Schrad.	E

613 Podocarpus, L'Herit

elongatus, L'Herit	A—C
Thunbergii, Hook	B—E

Cycadaceæ.

614 Encephalartos, Lehm.

Altensteinii, Lehm.	B
caffer, Miq.	BC
Ghellinckii, Lehm.	A—E
Lehmanni, Lehm.	?
longifolius, Lehm.	?
villosus, Lehm.	B

615 Stangeria, T. Moore

paradoxa, Moore	AB

MONOCOTYLEDONES.

Orchideæ.

616 Liparis, L. C. Rich

Bowkeri, Harv.	C
Gerrardi, Reich.	?

617 Bulbophyllum, Thouars

Sandersoni, Reichb.*f*	AB

618 Calanthe, R. Br.

natalensis, Reichb.*f*	A—C. Z

619 Eulophia, R. Br.

aequalis, Bolus	A
aculeata, Spreng.	B
arenaria, Bolus	AB
barbata, Spreng.	AB
bicolor, Reich.	B
Buchanani, Bolus	B
caffra, Reich.	D
carunculifera, Reich.	?
calanthoides, Schltr.	?
clitellifer, Bolus	B
Dregeana, Ldl.	C
ensata, Ldl.	AB
hians, Spreng.	B
inæqualis, Schltr.	C
Krebsii, Bolus	?
laxiflora, Schltr.	B
leontoglossa, Reich.	AB
McKenii, R. A. Rolfe	A
natalensis, Reich.	A
nigricans, Schltr.	A
Oliveriana, Bolus	?
parvilabris, Ldl.	?
porphyroglossa, Bolus	A
Reichenbachiana, Bolus	B
speciosa, Bolus	A
streptopetala, Ldl.	B
tristis, Spreng.	?
Woodii, Schltr.	E
sp. (=J. M. Wood, 1430)	A

620 Ansellia, Ldl.

gigantea, Reichb.*f*	AB
,, var. citrina, Rchb.*f*	A

621 Polystachya, Hooker

Gerrardi, Harv.	D
grandiflora, Ldl.	?
Ottoniana, Reichb.*f*	A
pubescens, Reichb.*f*	B
rigidula, Reichb.*f.*	?
Sandersoni, Harv.	A
similis, Reichb.*f*	?
tricuris, Reichb.*f*	?

622 Cyrtopera, Ldl.

papillosa, Rolfe	A—C

623 Angraecum, Thouars

arcuatum, Ldl.	AB
bicaudatum, Ldl.	B
caffrum, Bolus	?
chiloschistæ, Reichb.*f*	?
conchiferum, Ldl.	?
Gerrardi, Bolus	B
Maudæ, Bolus	Z
mystacidii, Reichb.*f*	?
Saundersiæ, Bolus	A
tricuspe, Bolus	?
tridentatum, Harv.	B

624 Mystacidium, Ldl.

filicorne, Ldl.	B
Gerrardi, Bolus	?
gracile, Harv.	A
pusillum, Harv.	B

625 Zeuxine, Ldl.

sp. (R. Schlechter)	A

626 Platylepis, A. Rich

glandulosa, Reichb.*f*	A

627 Herminium, Linn.

natalense, Reichb.*f*	?

628 Stenoglottis, Ldl.

fimbriata, Ldl.	B—D
longifolia, Hk.*f*	Z

629 Huttonæa, Harv.

fimbriata, Reichb.*f*	D
grandiflora, Schltr.	E
pulchra, Harv.	B

630 Holothrix, L. C. Rich.

Lindleyana, Reichb.*f*	?
multisecta, Bolus	?
orthoceras, Reichb.*f*	B

631 Habenaria, Willd.

arenaria, Ldl.	B
Boltoni, Harv.	A
Bonatea, Reichb. *f*	AB
cassidea, Reichb. *f*	?
ciliosa, Ldl.	?
cornuta, Ldl.	?
clavata, Reichb. *f*	B
dives, Reichb. *f*	A
Dregeana, Ldl.	AB
foliosa, Reichb. *f*	A—D
involuta, Bolus	A
malacophylla, Reichb. *f*	E
natalensis, Reichb. *f*	AC
parvula, Harv. MSS.	?
polypodantha, Reichb. *f*	?
porrecta, Bolus	?
Saundersiæ, Harv.	A
tenuior, N. E. B.	B
tetrapetala, Reichb. *f*	A – D
tridens, Ldl.	?
Tysoni, Bolus	B

632 Cynorchis, Thouars

sp. (J. Sanderson)	?

633 Satyrium, Swartz

Atherstonei, Reichb. *f*	A
cordifolium, Ldl.	D
eriostomum, Ldl.	B
longicauda, Ldl.	B
macrophyllum, Ldl.	B
ocellatum, Bolus	D
parviflorum, Sw.	B
sphaerocarpum, Ldl.	A—E
Woodii, Schltr.	B
sp. (=J. M. Wood, 782)	B
sp. (= „ 1411)	D
sp. (= „ 336, 1582)	B

634 Disa, Berg.

aconitoides, Sond.	B
brevicornis, Bolus	?
cephalotes, Reichb. *f*	E
chrysostachya, Sw.	BC
Cooperi, Reichb. *f*	C
crassicornis, Ldl.	B
delphinoides, Harv.	D
læta, Reichb. *f*	?
Macowani, Reichb. *f*	D
nervosa, Ldl.	B
oreophila, Bolus	E
patula, Sond.	D
polygonoides, Ldl.	A—E
sagittalis, Sw.	?
stachyoides, Reichb. *f*	B—E
stenoglossa, Bolus	?
stricta, Sond.	?
tripetaloides, N. E. B.	B

635 Brownleea, Ldl.

cœrulea, Harv.	?
parviflora, Harv.	?
recurvata, Sond.	?
sp. (=J. M. Wood, 3177)	B

636 Brachycorythis, Ldl.

ovata, Harv.	AB
pubescens, Harv.	BC

637 Schizochilus, Sond.

Gerrardi, Bolus	E
Zeyheri, Sond.	B—E

638 Pterygodium, Sw.

magnum, Reichb. *f*	B—E

639 Disperis, Sw.

anthoceros, Reichb. *f*	BC
cardiophora, Harv.	B
Cooperi, Harv.	D
Fanniniæ, Harv.	DE
oxyglossa, Bolus	B
Woodii, Bolus	A—C
sp. (R. Schlechter)	A

640 Corycium, Sw.

nigrescens, Sond.	A—E

Scitamineæ.

641 Kæmpferia, Linn.

sp. (=J. M. Wood, 544)	B

642 Strelitzia, Ait.

augusta, Thb.	AB

Haemodoraceæ.

643 Sanseviera, Thb.

guineensis, Willd.	AB

Irideæ.

644 Moræa, Linn.

iridioides, Linn.	B
natalensis, Baker	C
spathacea, Ker.	E
tenuis, Ker.	?
tricuspis, Ker.	?
tripetala, Ker.	AB

645 Aristea, Aiton

anceps, Ecklon	AB
compressa, Buch.	A
Eckloni, Baker	B
majubensis, Baker	E
schizolæna, Harv.	BC
torulosa, Klatt.	AB

646 Schizostylis, Burch. & Harv.

coccinea, B & H.	?
pauciflora, Klatt.	E

647 Hesperantha, Ker.

Baurii, Baker	A—E
gracilis, Baker	C
lactea, Baker	BC
leucantha, Baker	E
modesta, Baker	A
radiata, Ker.	D
Woodii, Baker	BC

648 Dierama, K. Koch

pendula, Baker	A—E
„ var. pumila, Baker	?

649 Ixia, Linn.

tricorhiza, Baker	D

650 Lapeyrousea, Poir.

cruenta, Bth.	AB
leptostachya, Baker	?

651 Watsonia, Miller

densiflora, Baker	A—D
„ var. alba	A—B
humilis, Miller	?
Meriana, Miller	BC

652 Acidanthera, Hochst.

brevicollis, Baker	?
platypetala, Baker	A—E

653 Crocosmia, Planch.

aurea, Planch.	AB

654 Tritonia, Ker.

Kraussii, Baker	?
laxiflora, Bth.	B
lineata, Ker.	A
Pottsii, Bth.	BC
rosea, Klatt.	?
teretifolia, Baker	?

655 Gladiolus, Linn.

aurantiacus, Klatt.	B
brevifolius, Jacq.	B
crassifolius, Baker	CD
cruentus, Moore	?
dracocephalus, Hook. *f*	?
Eckloni, Lehm.	DE
edulis, Burch.	E
inandensis, Baker	C
Ludwiggii, Pappe	B—D
Papilio, Hook	A—D
psittacinus, Hook	AB
„ var. Cooperi, Baker	
permeabilis, Delaroche	?
purpureo-auratus, Hook	B
rachidiflorus, Klatt.	?
Saundersii, Hook. *f*	B
Woodii, Baker	B

656 Antholyza, Linn.

caffra, Ker.	?
paniculata, Klatt.	DE

Amaryllideæ.

657 Hypoxis, Linn.

acuminata, Baker	B
angustifolia, Lam.	
„ var. Buchanani, Baker	B
Baurii, Baker	E
filiformis, Baker	A—E
Gerrardi, Baker	B
Kraussiana, Buch.	?
latifolia, Hook.	?
membranacea, Baker	B
milliodes, Baker	D
multiceps, Buch.	B—E
obliqua, Jacq.	
„ var. pannosa, Baker	E
oligotricha, Baker	A
parvula, Baker	E
platypetala, Baker	D
rigidula, Baker	B
„ var. pilosissima, Baker	E
Rooperi, Moore	B—D
sericea, Baker	A
Woodii, Baker	B

658 Curculigo, Gaertn.

plicata, Dryander	?
„ var. Barberieæ, Baker	B

659 Anoiganthus, Baker

breviflorus, Baker	BC
luteus, Baker	AB

660 Apodolirion, Baker

Buchanani, Baker	C
Ettæ, Baker	B
McKenii, Baker	C

661 Crinum, Linn.

longifolium, Thb.	A—C
Macowani, Baker	?
Moorei, Hk. *f*	B

662 Brunsvigia, Heister

Josephineæ, Gawl	B—E.Z

663 Nerine, Herbert

flexuosa, Herbert	BC
pancratioides, Baker	B

664 Cyrtanthus, Aiton

angustifolius, Ait.	A—D
lutescens, Herbert	E
McKenii, Hook	A
obliquus, Ait.	B
odorus, Gawl	?
sanguineus, Hook.	AB

665 Clivia, Ldl.

Gardneri, Hook.	ABZ
miniata, Regel	AB

666 Haemanthus, Linn.

albomaculatus, Baker	A
Baurii, Baker	B
deformis, Hooker	?
hirsutus, Baker	E
Katherineæ, Baker	A
magnificus, Herb.	?
membranaceus, Baker	B
McKenii, Baker	?
natalense, Pappe	AB
puniceus, Linn.	A
sp. (J. M. Wood, 4810)	E

667 Buphane, Herbert

disticha, Herbert	AB

668 Vellozia, Vand.

elegans, Oliv.	BC
sp. (=Xerophyta viscosa, Baker	E

Dioscoraceæ.

669 Dioscorea, Linn.

diversifolia, Griesbach	B
elephantopus, Spreng.	C
malifolia, Baker	B
multiloba, Kunth.	B
rupicola, Kth.	B
undatiloba, Baker	?
sp. (=Testudinaria sylvatica, Kth.)	B
sp. (=Helmia Dregeana, Kth.)	B
sp. (=J. M. Wood, 1618)	AB

Liliaceæ.

670 Smilax, Linn.

Kraussiana, Meisn.	A—C

671 Asparagus, Linn.

aethiopicus, Linn.	B
africanus, Lam.	?
asiaticus, Linn.	?
falcatus, Linn.	A
medeoloides, Thb.	B
myriocladus, Baker	B
plumosus, Baker	B
,, var. nanus	A
sarmentosus, Linn.	B
Saundersiæ, Baker	?
stipulaceus, Lam.	?
subulatus, Thb.	?
virgatus, Baker	AB
sp. (=J. M. Wood, 989)	B
sp. (= ,, 3041)	B
sp. (= ,, 4089)	D

672 Behnia, Didrichs

sp. (=Hylonome reticulata)	B

673 Kniphofia, Moench.

aloides, Moench	AC
breviflora, Harv. MSS.	E
Buchanani, Baker	B—D
gracilis, Harv.	Z
laxiflora, Kth.	?
modesta, Baker	C
natalensis, Baker	ABZ
pauciflora, Baker	A
Rooperi, Lemaire	?
triangularis, Kth.	D
Woodii, Baker	C
sp. (=J. M. Wood, 3895)	E

674 Gasteria, Duval

disticha, Harv.	?
,, var. natalensis	?
gracilis, Baker	?

675 Aloe, Linn.

Bainesii, Dyer	B
Cooperi, Baker	B
ferox, Miller	B—D
Kraussii, Baker	BC
myriacantha, R & S	?
platylepis, Baker	?
pratensis, Baker	C
purpurascens, Harv.	BC
saponaria, Harv.	A—E
supralævis, Harv.	?

676 Dracaena, Linn.

Hookeriana, K. Koch	A

677 Bulbine, Linn.

asphodeloides, Schultz *f*	B
latifolia, Schultz *f*	AB
narcissifolia, Salm. D.	D
sp. (=J. M. Wood, 553)	B

678 Boweia, Harv.

volubilis, Harv.	C—E

679 Eriospermum, Jacq.

McKenii, Baker	B
microphyllum, Baker	E
natalense, Baker	E
ornithogaloides, Baker	B
sp. (=J. M. Wood, 256)	AB
sp. (= ,, 1346)	B

680 Anthericum, Linn.

angulicaule, Baker	?
capitatum, Baker	E
carnosum, Baker	A
Cooperi, Baker	?
Gerrardi, Baker	BZ
Jacquinianum, Sch. *f* var. affinis, Baker	A
longifolium, Jacq.	?
longistylum, Baker	?
pulchellum, Baker	AB

681 Chlorophytum, Ker.

comosum, Baker	B
elatum, R. Br.	?
modestum, Baker	?
vaginatum, Baker	E

682 Agapanthus, L'Herit

præcox, Willd.	?
umbellatus, L'Herit	B—D
,, var. minor	D

683 Tulbaghia, Linn.

acutiloba, Harv	AB
,, var.	B
alliacea, Thb.	BC
natalensis, Baker	DE
sp. (=J. M. Wood, 4408)	D

684 Drimia, Jacq.

elata Jacq.	
var. Cooper, Baker	D
neriniformis, Baker	E
robusta, Baker	B

685 Dipcadi, Medicus

hyacinthoides, Baker	?
umbonatum, Baker	AB
viride, Moench	
var. natalensis, Baker	B

686 Galtonia, Dcne.

candicans, Dcne.	E
princeps, Dcne.	D

687 Albuca, Linn.

Elliotti, Baker	E
Nelsoni, N. E. B.	A
trichophylla, Baker	?
sp. (=J. M. Wood, 750)	B
sp. (= ,, 783)	B

688 Urginea, Steinh.

lilacina, Baker	B
luxuriata *	?
rosea, Baker	B
sp. (=J. M. Wood, 276)	B
sp. (= ,, 1036)	B
sp. (= ,, 1052)	B
sp. (= ,, 3138)	A

689 Drimiopsis, Ldl.

maculata, Ldl.	AB
maxima, Baker	C
minor, Baker	D
sp. (=Scilla humifusa, Baker)	B
sp. (=J. M. Wood, 656)	B

690 Eucomis, L'Herit

punctata, L'Herit	E
regia, L'Herit	?
undulata, Ait.	A—E

691 Scilla, Linn.

Adlami, Baker	?
Cooperi, Hk. *f*	B
exigua, Baker	C
Gerrardi, Baker	E
Kraussii, Baker	A—C
lancœfolia, Baker	AB
linearifolia, Baker	B
natalensis, Planch.	?
,, var. sordida, Baker	?
rigidifolia, Kth.	
var. nervosa, Baker	AB
saturata, Baker	A—C
sp. (=J. M. Wood, 630)	B

692 Ornithogalum, Linn.

capitatum, Hk. *f*	B
Dregeanum, Kth.	B
Eckloni, Sch.	AB
natalense, Baker	E
Zeyheri, Baker	E
sp. (=J. M. Wood, 1973)	B

693 Androcymbium, Willd.

sp. (=J. M. Wood, 1973)	B

694 Wurmbea, Thb.

Kraussii, Baker	?

695 Anguillaria, R. Br.

Bergii ? (=J. Sanderson, F 25)	?

696 Gloriosa, Ldl.

virescens, Ldl.	A

697 Sandersonia, Hook

aurantiaca, Hook.	A—D

698 Littonia, Hook

modesta, Hook.	A—D

Xyrideæ.

699 Xyris, Linn.

capensis, Thb.	A—D

Commelinaceæ.

700 Commelina, Linn.

africana, Linn.	C
benghalensis, Linn.	B
karooica, C. B. Clarke	B
,, var. Barberiae, C. B. Clarke	D
Livingstonei, C. B. Clarke	B
madagascarica, C. B. Clarke	B

701 Aneilema, R. Br.

Dregeanum, C. B. Clarke	B
equinoctiale, Kunth	B
sinicum, Ldl.	AZ

702 Coleotrype, C. B. Clarke

natalensis, C. B. Clarke	AB

703 Cyanotis, Don.
nodiflora, Kunth. A—E

704 Floscopa, Loureiro
glomerata, Hassk. AB

Flagellarieæ.

705 Flagellaria, Linn.
indica, Linn. AB

Juncaceæ.

706 Juncus, Linn.
capensis, Linn. B
effusus, Linn. E
maritimus, Lam. A
punctorius, Linn. B

707 Prionium, E. M.
palmita, E. M. A

Palmæ.

708 Phœnix, Linn.
reclinata, Jacq. AB

709 Hyphæne, Gaertn.
crinita, Gaertn. AZ

Typhaceæ.

710 Typha, Linn.
sp. (=J. M. Wood, 1378) A

Aroideæ.

711 Pistia, Linn.
stratiotes, Linn. A

712 Stylochiton, Leprieur
natalense, Schott. AB

713 Richardia, Kunth
africana, Kth. A—E
albomaculata * B
melanoleuca, Hk. *f.* B
Rehmanni, Engl. DE
„ var. E

Naiadaceæ.

714 Triglochin, Linn.
bulbosum, Linn. B
laxiflora, Guss. A

715 Aponogeton, Thb.
natalense, Oliv. D
spathaceum, E. M. A—E

716 Potamogeton, Linn.
crispus, Linn. B
javanicus, Hassk. C
natans, Linn. A
obtusiflorus, Mert & Koch A
pusillus, Linn. A

Eriocauleæ.

717 Eriocaulon, Linn.
sp. (=J. M. Wood, 1427, 3053) AB

Restiaceæ.

718 Leptocarpus, R. Br.
paniculatus, Mast. B

Cyperaceæ.

719 Cyperus, Linn.
abyssinicus, Hochst. ?
aequalis, Vahl. AB
albostriatus, Schrad. AB
atronitens, Hochst. ?
blandus, Kth. ?
congestus, Vahl. ?
cylindrostachys ?
denudatus, Linn. *f.*, var. B
difformis, Linn. A
distans, Linn. ?
esculentus, Linn. ?
fastigiatus, Rottb. A
flabelliformis, Rottb. A
ingratus, Kunth. ?
Kraussii, Baeckeler ?
laevigatus, Linn. A
lanceus, Thb. A
latifolius, Poiret. ?
marginatus, Thb. ?
micans, Kunth. ?
Mundtii, Nees. B
natalensis, Hochst. A
obtusiflorus, Vahl. ?
„ var. flavissimus ?
polystachyus, Vahl. ?
radiatus, ? Schrad. ?
retusus, Nees. AB
rotundus, ? Linn. ?
sexangularis, Nees. ?
sphaerospermus, Schrad. ?
vestitus, Hochst. A
sp. (=J. M. Wood, 1365) E
sp. (= „ 4093) A
sp. (= „ 4098) A
sp. (= „ 4004) A
sp. (Rev. J. Buchanan, 99) ?
sp. („ 113) ?

720 Kyllinga, Rottb.

alata, Nees.	A
aurata, Nees.	AB
cylindrica, ? Nees.	?
elatior, Kunth.	Z
melanosperma, Nees.	A

721 Eleocharis, R. Br.

limosa, Schult.	?
striata, ? Hochst.	A

722 Fimbristylis, Vahl.

complanata, Link.	A
diphylla, Vahl.	?
exilis, R. & S.	A
ferruginea, Vahl.	?
prolifer, Rottb.	?

723 Scirpus, Linn.

arenarius, Boeckeler	B
expallescens, Boeckeler	B
paludicola, Kth.	?
prolifer, Rottb.	AB
pterolepis, Kunth.	A
rivularis, Boeckeler	B
Zeyheri, Boeckeler	A
sp. (Isolepis fluitans, R. Br.)	?
sp. (=Rev. J. Buchanan, 86)	?
sp. (=J. M. Wood, 1352)	B
sp. (= ,, 1575)	B
sp. (= ,, 1963)	A

724 Ficinia, Schrad.

bulbosa, Nees	?
laciniata, Nees.	A
sp. (=J. M. Wood, 1939)	B

725 Fuirena, Rottb.

glabra, Eckl.	C
gracilis, Kth.	?
pubescens, Desf.	B

726 Lipocarpha, R. Br.

argentea, R. Br.	AB

727 Ascolepis, Nees.

capensis, Ridl.	AB

728 Rhynchospora, Vahl.

aurea, Vahl.	A
sp. (=J. M. Wood, 1596)	B

729 Scleria, Berg.

angusta, Nees.	?
hirtella, Sw. var.	A
holcoides, Kth.	?
melanocephala, Kth.	B
sp. (=J. M. Wood, 3994)	Z

730 Carex, Linn.

pendula, Huds.	?
spartea, Vahl.	?
sp. (=Rev. J. Buchanan, 43)	?
sp. (= ,, 137)	?
sp. (= ,, 353)	?
sp. (=J. M. Wood, 1190)	B
sp. (= ,, 1353)	B
sp. (= ,, 4038)	E

Gramineæ.

731 Paspalum, Linn.

brevifolium *	?
dissectum *	?
scrobiculatum *	E

732 Panicum, Linn.

arenarium, Brot.	?
brizanthum, Hochst.	B
commutatum, Nees.	?
crus-galli, Linn.	A
diagonale, Nees.	?
Dregeanum, Nees.	?
equinerve, Nees.	?
erucaeforme, Sibth.	?
excurrens,, Trin.	A
gossipinum, Rich.	?
interruptum, Willd.	A
Lindenbergianum, Nees.	B
longiglume, Munro	?
madagascariense, Spreng.	?
maximum, Jacq.	?
Meyerianum, Nees.	?
monodactylum, Nees.	E
natalense, Hochst.	B
phaeocarpum, Nees.	?
proliferum, Lam.	?
sanguinale, Linn.	?
semialatum, R. Br.	B
unguiculatum, Trin.	?
Zeyheri, Nees.	?
sp. (=Tricholaena rosea, Nees.)	AB
sp. (= ,, tousa, Nees.)	?

733 Oplismenus, Beauv.

africanus, Bauer	B
crus-galli, Bauer	?

734 Setaria, Beauv.

dasyura, Willd.	?
glauca, Beauv.	D
imberbis, R. & S.	?
penicillata, Nees.	?
verticillata, Bauer	?
viridis ?	?

735 Pennisetum, Persoon

macrourum, Trin.	?
sp. (=Gymnothrix glabra)	?
sp. (= ,, uniseta)	?

736 Stenotaphrum, Trin.
complanatum, Schr. E

737 Olyra, Linn.
latifolia, Linn. Z

738 Potamophila, R. Br.
sp. (=Maltebrunia prehensilis) B

739 Leersia, Sw.
hexandra, Sw. ?

740 Arundinella, Raddi.
nepalensis, Trin. ?
rigida, Nees. ?

741 Melinis, Beauv.
minutiflora, P. B. ?

742 Tragus, Hall
occidentalis, Nees. D
sp. (=Lappago racemosa) ?

743 Perotis, Ait.
latifolia, Ait. ?

744 Imperata, Cyr.
arundinacea, Cyr. A

745 Miscanthus, Anders.
capensis, Anders. ?

746 Saccharum, Linn.
sp. (=Eriochrysis pallida) ?

747 Erianthus, Mich.
capensis, Nees. ?

748 Spodiopogon, Trin.
arcuatus, Nees. ?

749 Pollinia, Trin.
nuda, Trin. ?
villosa, Spreng. B

750 Elionurus, Humb. & Bon.
argenteus, Nees. ?

751 Hemarthria, R. Br.
compressa, R. Br. ?

752 Trachypogon, Nees.
capensis, Nees. B

753 Heteropogon, Pers.
hirtus (=Andropogon hirtus Linn.) ?

754 Andropogon, Linn.
amplectens, Nees. ?
appendiculatus, Nees. ?
ceresiæformis, Nees. ?
cymbarius, Linn. AB
eucomus, Nees. A
filifolius, Nees. ?
finitimus, Hochst. Z
intermedius, R. Br. ?
lepidus, Nees. ?
Nardus, Linn. AB
pertusus, Willd. ?
schoenanthus, Linn. ?
Schimperi, Hochst. ?
simplex, Munro ?
sp. (=Schizachrium zeylanicum) ?

755 Sorghum, Persoon
halepense, Pers. B
vulgare, Pers. A

756 Anthistiria, Linn. f.
imberbis, Retz ?

757 Ehrharta, Thb.
panicea, Sw. ?

758 Phalaris, Linn.
arundinacea, Linn. E

759 Aristida, Linn.
adscensionis, Linn. ?
bipartita, Steud. ?
barbicollis, Trin. ?
curvata, Trin. ?

760 Stipa, Linn.
sp. (=Lasiagrostis elongata, Nees) ?

761 Sporobolus, R. Br.
capensis ?
„ var. pyramidalis ?
centrifugus, Nees. B
fimbriatus, Nees. ?

762 Agrostis, Linn.
antartica, ? Hook ?
lachnantha, Nees ?
Neesii, Trin. ?

763 Trisetum, Persoon
lachnanthum, Hochst. ?
longifolium, Nees ?

764 Tristachya, Nees.
leucothrix, Nees ?

765 Trichopteryx, Nees.
Dregeana, Nees ?
sp. (Londetia arundinacea) ?

766 Danthonia, D. C.
propinqua, Nees ?
sp. (=J. M. Wood, 3995) Z

767 Microchloa, R. Br.
Buchanani, Munro ?
caffra, Nees Z

768 Cynodon, Persoon
dactylon, Persoon A

769 Harpechloa, Kunth.
capensis, Kth. ?

770 Ctenium, Panz.
concinnum, Nees ?

771 Chloris, Swartz
compressa, D. C. AB
Gayana, Kth. ?
petræa, Thb. E
radiata, Sw. ?
„ var. pycnothrix B

772 Eleusine, Gaertn.
coracana, Gaertn. Z
indica, Gaertn. ?

773 Leptochloa, Beauv.
grandiglumis, Nees ?
integra, Munro ?

774 Triodia, R. Br.
sp. (=Uralepis alopecuroides) ?

775 Diplachne, Beauv.
Buchanani, Munro ?
eleusine, Nees ?
sp. (=J. M. Wood, 1910) B

776 Phragmites, Trin.
communis, Trin. AB

777 Fingerhuthia, Nees.
sesleriaeformis, Nees D

778 Kœleria, Persoon
cristata, Pers. ?
Gerrardi, Munro B

779 Eragrostis, Beauv.
aspera, Nees ?
brizoides, Nees B
chalcantha, Trin. ?
chloromelas, Steud. ?
ciliaris, Link ?
curvula, Nees ?
elongata, Jacq. ?
interrupta, Beauv ? ?
lappula, Nees ?
macilenta, Stend. ?
minor, Host ?
superba, Peyr ?
Thunbergiana, Steud. ?
sp. (=J. M. Wood, 3587) E

780 Melica
dendroides, Lehm. A
racemosa, Thb. E

781 Poa, Linn.
abyssinica ? ?

782 Festuca, Linn.
costata, Nees ?

783 Bromus, Linn.
asper, Linn. ?
sp. (Ceratochloa uniloides) D

784 Brachypodium, Beauv.
flexum, Nees ?

785 Arundinaria, Michaux
tessellata, Munro E

Filices.

786 Gleichenia, Sm.
dichotoma, Willd. C
polypodioides, Sm. BC
umbraculifera, Moore C—E

787 Cyathea, Sm.
Dregei, Kze. A—E

788 Hemitelia, Br.
capensis, R. Br. C

789 Woodsia, Br.
Burgessiana, Ger. DE

790 Hymenophyllum, Hook.
gracile, Bory. ?
rarum, R. Br. ?
tunbridgense, Sm. CD

791 Trichomanes, Sm.
muscoides, Sw. Z
pusillum, Sw.
var. quercifolium, Hook CD
pyxidiferum, Linn. B—E
rigidum, Sw. B—D

792 Davallia, Sm.
nitidula, Kze. AB
speluncæ, Baker AB
thecifera, H. B. K. C—E

793 Cystopteris, Bernh.
fragilis, Bernh. DE

794 Lindsaya, Dryand
ensifolia, Sw. AZ

795 Adiantum, Linn.
æthiopicum, Linn. C—E
capillus-veneris, Linn. A—C

796 Lonchitis, Linn.
pubescens, Willd. BC

797 Hypolepis, Bernh.

anthriscifolia, Pr.	AB
Bergiana, Hk.	BC

798 Cheilanthes, Sw.

capensis, Sw.	E
hirta, Sw.	A—E
multifida, Sw.	A—D
parviloba, Sw.	A—D

799 Pellæa, Link.

Burkeana, Baker	BC
calomelanos, Link	B—E
consobrina, Hk.	D
geraniifolia, Fée	A—C
hastata, Link	A—E
„ var. macrophylla	A—E
„ „ glauca	D—E
involuta, Baker	BC
pectiniformis, Baker	BC

800 Pteris, Linn.

aquilina, Linn.	A—E
Buchanani, Baker	B—D
crética, Linn.	B—E
flabellata, Thb.	A—E
incisa, Thb.	C
longifolia, Linn.	A—C
quadriaurita, Retz	AB

801 Lomaria, Willd.

attenuata, Willd.	A—E
Boryana, Willd.	C
inflexa, Kze.	DE
procera, Spreng.	C
punctulata, Kze.	A—E
„ var. Atherstonii	B
„ „ intermedia	?
„ „ Krebsii	BC

802 Blechnum, Linn.

australe, Linn.	B—E

803 Asplenium, Linn.

Adiantum nigrum, Linn.	CD
anisophyllum, Kze.	CD
aspidioides, Schl.	A—C
brachypteron, Kze.	CD
cuneatum, Lam.	A—D
„ var. splendens	A—D
ebeneum, Ait.	DE
erectum Bory.	
„ var. brachyotus	A—C
„ „ erectum	C—E
„ „ lobatum	C—E
„ „ lunulatum	A—C
„ „ Zeyheri	B—C
filix fœmina, Bernh.	DE
furcatum, Thb.	C—E
„ var. tripinnatum	C—E
gemmiferum, Schr.	BC
„ var. discolor	?
„ „ flexuosum	CD
Kraussii, Moore	DE
monanthemum, Linn.	DE
prionitis, Kze.	AB
protensum, Schr.	C—E
rutaefolium, Kze.	A—D
Sandersoni, Hook	AB
Schimperi, A. Br.	DE
serra, Linn. & F.	
var. natalense, Baker	B
solidum, Kze.	B
Thunbergii, Kze.	C
trichomanes, Linn.	DE
varians, Hk. & Gr.	C—E

804 Didymochlaena, Desv.

lunulata, Desv.	BC

805 Aspidium, R. Br.

aculeatum, Sw.	DE
aristatum, Sw.	CD
capense, Willd.	BC
falcatum, Sw.	DE
luctuosum, Kze.	D
pungens, Kaulf.	C—E

806 Nephrodium, Rich.

albo-punctatum, Desv.	B
athamanticum, Hk.	B—E
Bergianum, Baker	A—C
Buchanani, Baker	B—D
catopteron, Hk.	B—D
filix mas, Rich.	
var. elongatum	?
inoequale, Hk.	A—E
Mauritianum, Fce.	A
molle, Desv.	AB
thelypteris, Desv.	A—E
unitum, R. Br.	
var. propinquum, R. Br.	A—C

807 Nephrolepis, Schott.

acuta, Pr.	A

808 Oleandra, Cav.

articulata, Pr.	A—C

809 Polypodium, Linn.

africanum, Mett.	BC
incanum, Sw.	B—E
irioides, Lam.	A
lanceolatum, Linn.	C—E
„ var. sinuatum, Sim.	CD
lineare, Thb.	
„ var. Schrader, Mett.	A—E
lycopodioides, Linn.	AB
„ var. McKenii, Baker	A
normale, Don.	C—D
obtusilobum, Desv.	BC
phymatodes, Linn.	A
proliferum, Pr.	A
unitum, Hook	C
vulgare, Linn.	D

810 Nothochlæna, R. Br.

Buchanani, Baker	C
Eckloniana, Kze.	DE
inœqualis, Kze.	CD

811 Gymnogramma, Desv.

argentea, Mett.	CD
,, var. aurea, Desv.	C
cordata, Schl.	C—E
lanceolata, Hk.	C--E
Totta, Schl.	CD

812 Vittaria, Sm.

lineata, Sw.	A—E

813 Acrostichum, Linn.

Aubertii, Desv.	CD
aureum, Linn.	A
conforme, Sm.	B—D
hybridum, Bory.	D—E
latifolium, Sw.	BC
spathulatum, Bory.	DE
tenuifolium, Baker	AB
viscosum, Sw.	B—D

814 Osmunda, Linn.

regalis, Linn.	A—E

815 Todea, Willd.

barbara, Moore	A—C

816 Schizæa, Smith

pectinata, Sm.	AB
tenella, Kaulf.	A

817 Anemia, Sw.

Dregeana, Kze.	A—C

818 Mohria, Sw.

caffrorum, Desv.	A—E

819 Marattia, Sm.

fraxinea, Sw.	A—C

820 Ophioglossum, Linn.

capense, Schl.	A
reticulatum, Linn.	A—D

Equisetaceæ.

821 Equisetum, Linn.

elongatum, W.	B
ramosissimum, Desf.	AB

Lycopodiaceæ.

822 Lycopodium, Linn.

carolinianum, Linn.	AB
cernuum, Linn.	AB
clavatum, Linn.	A—C
gnidioides, Linn.	B—D
saururus, Lam.	E
verticillatum, Linn.	BC

823 Psilotum, Sw.

triquetrum, Sw.	A

Selaginellaceæ.

824 Selaginella, Spring

depressa, A. Braun	?
Kraussiana, A. Braun	A—E
McKenii, Baker	?
pumila, Spring	?
rupestris, Sprengel	BC

825 Isoetes, Linn.

natalensis, Baker	D

Rhizocarpeæ.

826 Azolla, Lam.

pinnata, R. Br.	A

827 Marsilea, Linn.

capensis, A. Br.	A—C
macrocarpa, Presl.	?

Natural Orders		129
Genera		828
Named Species	2216	
Unnamed Species and Varieties	391	2607

Index to Generic Names.

Aberia - - 36
Abrus - - - 154
Abutilon - - 56
Acacia- - - 177
Acalypha - - 592
Achyranthes - 548
Achyrocline - 306
Acidanthera - 652
Acokanthera - 390
Acridocarpus - 72
Acrostichum - 813
Adenocline - - 591
Adenostemma - 288
Adhatoda - - 504
Adiantum - - 795
Aeolanthus - - 524
Aerua - - 547
Aeschynomene - 146
Agapanthus - 682
Ageratum - - 289
Agrimonia - - 183
Agrostis - - 762
Aizoon - - 236
Ajuga - - 535
Alberta - - 269
Albizzia - - 178
Albuca - - 687
Alchemilla - - 181
Alectra - - 477
Alepidea - - 243
Aloe - - - 675
Alsodeia - - 30
Alternanthera - 549
Alysicarpus - 152
Amaranthus - 542
Amphidoxa - - 305
Anagallis - - 373
Anastrabe - - 464
Anchusa - - 438
Androcymbium - 693
Andropogon - 754
Aneleima - - 701
Anemia - - 817
Anemone - - 3
Anesorhiza - - 253
Angræcum - - 623
Anguillaria - - 695
Anisochæta - 358
Anisotome - - 422
Anoiganthus - 659
Anona - - 9
Ansellia - - 620
Anthericum - 680
Anthistiria - - 756
Antholyza - - 656
Anthospermum - 276
Antidesma - - 585
Apium - - 249
Apodolirion - 660
Apodytes - - 93
Aponogeton - 715
Arabis - - 17
Arachis - - 148
Argemone - - 14
Argyrolobium - 135
Aristea - - 645
Aristida - - 759
Artabotrys - - 7
Artemisia - - 336
Arthrosolen - 567
Arundinaria . 785
Arundinella - 740
Asclepias - - 404
Ascolepis - - 727
Aspalathus - - 130
Asparagus - - 671
Aspidium - - 805
Asplenium - - 803
Aster - - - 292
Asystasia - - 500
Athanasia - - 329
Athrixia - - 313
Australina - - 608
Avicennia - - 517
Azolla - - 826
Baphia - - 167
Barleria - - 498
Barosma - - 81
Barringtonia - 204
Bauhinia - - 172
Begonia - - 233
Behnia - - 672
Belmontia - - 432
Berkheya - - 355
Bersama - - 118
Bidens - - 327
Blechnum - - 802
Blepharis - - 496
Blumea - - 301
Boerhaavia - - 537
Bojeria - - 314
Bonnaya - - 473
Bouchea - - 513
Boweia - - 678
Bowkeria - - 465
Brachycorythis - 636
Brachylæna - 299
Brachypodium - 784
Brachystelma 421
Brassica - - 21
Bridelia - - 582
Bromus - - 783
Brownleea - - 635
Brugueria - - 198
Brunsvigia - - 662
Buchenrœdera - 131
Buchnera - - 479
Buddleia - - 429
Bulbine - - 677
Bulbophyllum - 617
Buphane - - 667
Bupleurum - - 246
Burchellia - - 261
Buttonia - - 483
Cadaba - - 27
Calanthe - - 618
Callilepis - - 318
Callitris - - 612
Calodendron - 80
Calophanes - - 493
Calpurnia - - 168
Calystegia - - 444
Canavalia - - 159
Cannabis - - 602
Capparis - - 28
Cardamine - - 18
Cardiospermum - 111
Carex - - - 730
Caralluma - - 423
Carissa - - 389
Carum - - 250
Cassia - - 171
Cassine - - 98
Cassinea - - 310
Cassinopsis - - 95
Cassipourea - 200
Cassytha - - 563
Cathastrum - - 97
Celastrus - - 99
Celosia - - 540
Celtis - - - 599
Cenia - - - 333
Cephalandra - 227
Cephalaria - - 284
Cephalanthus - 259
Cerastium - - 44
Ceratophyllum - 611
Ceratosicyos . 220
Ceratotheca - 491
Ceropegia - - 418
Chænostoma - 468
Chaetachme - 601

Cheilanthes- - 798
Chenolea - - 552
Chenopodium - 551
Chilianthus - 428
Chironia - - 433
Chloris - - 771
Chlorocodon - 399
Chlorophytum - 681
Choristylis - - 185
Chrysanthemum - 330
Chrysocoma - 298
Chrysophyllum - 378
Cineraria - - 339
Cissampelos - 11
Citrullus - - 226
Claoxylon - - 589
Clausena - - 83
Clematis - - 1
Cleome - - 24
Clerodendron - 516
Cliffortia - - 184
Clivia - - 665
Cluytia - - 588
Cnestis - - 125
Cola - - - 60
Coleotrype - - 702
Coleus - - 523
Colpoon - - 577
Combretum - 201
Commelina - - 700
Commiphora - 87
Conium - - 245
Convolvulus - 446
Conyza - - 297
Corchorus - - 69
Cordia - - 435
Cordylogyne - 407
Corrigiola - - 539
Corycium - - 640
Corydalis - - 16
Cotula - - 332
Cotyledon - - 190
Crabbea - - 499
Crassula - - 188
Crepis - - 361
Crinum - - 661
Crocosmia - - 653
Crotalaria - - 134
Croton - - 587
Cryptocarya - 561
Cryptolepis - 395
Cryptostemma - 352
Ctenium - - 770
Cucumis - - 225
Cunonia - - 186
Curculigo - - 658
Curtisia - - 258
Cuscuta - - 450
Cussonia - - 257
Cyanotis - - 703
Cyathea - - 787.
Cyathula - - 544
Cycnium - - 482
Cyclostemon - 584
Cynanchium - 410
Cynodon - - 768
Cynoglossum - 437
Cynorchis - - 632
Cyperus - - 719
Cyphia - - 367
Cyrtanthus - - 664
Curtopera - - 622
Cystopteris - - 793
Dais - - - 566
Dalbergia - - 166
Dalechampia - 595
Danthonia - - 766
Datura - - 456
Davallia - - 792
Denekia - - 303
Dermatobotrys - 461
Desmodium - 150
Dianthus - - 42
Diascia - - 457
Dichælia - - 420
Dichilus - - 133
Dichondra - - 449
Dichrostachys - 176
Dicliptera - - 506
Diclis - - 459
Dicoma - - 357
Didymochlæna - 804
Dierama - - 648
Dimorphotheca - 346
Dioscorea - - 669
Dipcadi - - 685
Diplachne - - 775
Disa - - - 634
Disperis - - 639
Dissotis - - 205
Dodonæa - - 115
Dolichos - - 162
Dombeya - - 61
Dovyalis - - 35
Dracæna - - 676
Dregea - - 415
Drimia - - 684
Drimiopsis - - 689
Droguetia - - 607
Drosera - - 191
Drymaria - - 47
Dumasia - - 155
Eclipta - - 323
Ectadiopsis - - 396
Ehretia - - 436
Ehrharta - - 757
Ekebergia - - 90
Elæodendron - 102
Elephantorhiza - 175
Eleocharis - - 721
Eleusine - - 772
Elionurus - - 750
Encephalartos - 614
Entada - - 174
Epilobium - - 211
Equisetum - - 821
Eragrostis - - 779
Erianthus - - 747
Erica - - 371
Erigeron - - 294
Eriocaulon - - 717
Eriosema - - 164
Eriospermum - 679
Erythrina - - 158
Erythroxylon - 71
Ethulia - - 286
Euclea - - 383
Eucomis - - 690
Eugenia - - 203
Eulophia - - 619
Euphorbia - - 579
Euryops - - 343
Evolvulus - - 447
Excœcaria - - 596
Fadogia - - 272
Falkia - - 448
Fanninia - - 408
Faurea - - 565
Felicia - - 293
Festuca - - 782
Ficinia - - 724
Ficus - - 603
Fimbristylis - 722
Fingerhuthia - 777
Flagellaria - - 705
Flemingia - - 165
Fleurya - - 605
Floscopa - - 704
Fugosia - - 59
Fuirena - - 725
Fumaria - - 15
Galium - - 282
Galopina - - 275
Galtonia - - 686
Gamolepis - - 344
Garcinia - - 53
Gardenia - - 264
Garuleum - - 291
Gasteria - - 674
Gazania - - 354
Geranium - - 76
Geigeria - - 317
Gelonium - - 598
Genus nov. - - 210
„ „ - - 232
Gerbera - - 359
Gerrardanthus - 231
Gerrardiana - 217
Geum - - 180
Gladiolus - - 655
Gleichenia - - 786
Gloriosa - - 696
Glycine - - 156
Gnaphalium - 307
Gnidia - - 570
Gomphocarpus - 403
Gomphostigma - 426
Gomphrena - 550
Graderia - - 485
Grewia - - 66
Greyia - - 119
Gunnera - - 195
Gymnema - - 412
Gymnogramme - 811
Gynura - - 338

Habenaria - - 631
Haemanthus - 666
Halleria - - 462
Haplocarpha - 351
Harpechloa - - 769
Harveya - - 478
Hebenstretia - 509
Helichrysum - 308
Helinus - - 109
Heliophila - - 20
Hemarthria - 751
Hemitelia - - 788
Hermannia - - 63
Hermbstœdtia - 541
Herminium - 627
Hesperantha - 647
Heteromorpha - 247
Heteropogon - 753
Heteropyxis - 209
Hewittea - - 443
Hibiscus - - 58
Hieracium - - 360
Hippobromus - 113
Hoffmanseggia - 170
Holothrix - - 630
Homalium - - 216
Huernia - - 425
Huttonia - - 629
Hydrocotyle - 242
Hydrophylax - 277
Hydrostachys - 558
Hymenophyllum 790
Hypericum - 52
Hyphæne - - 709
Hypochæris - 362
Hypoestes - - 508
Hypolepis - - 797
Hypoxis - - 657
Hyptis - - 526
Ilex - - 96
Ilysanthes - - 472
Impatiens - - 79
Imperata - - 744
Indigofera - - 140
Ionidium - - 29
Ipomœa - - 442
Isoetes - - 825
Isoglossa - - 503
Ixia - - 649
Jacquemontia - 445
Jasminium - - 385
Jatropha - - 586
Juncus - - 706
Jussiæa - - 212
Justicia - - 502
Kæmpferia - - 641
Kalanchoe - - 189
Kigelia - - 489
Kiggelaria - - 38
Kleinia - - 342
Kniphofia - - 673
Knowltonia - 4
Kœleria - - 778
Kraussia - - 166
Kyllinga - - 720
Labourdonnasia - 380
Lactuca - - 363
Laggera - - 302
Lantana - - 511
Lapeyrousea - 650
Lasiocorys - - 532
Lasiosiphon - 571
Lebeckia - - 129
Leersia - - 739
Leidesia - - 590
Leonotis - - 533
Leontonyx - - 309
Lepidium - - 23
Leptocarpus - 718
Leptochloa - - 773
Lessertia - - 145
Leucas - - 531
Leucosidea - - 182
Lichtensteinia - 248
Lightfootia - - 368
Limeum - - 241
Limnanthemum - 434
Limosella - - 474
Lindsaya - - 794
Linum - - 70
Liparis - - 616
Lipocarpha - - 726
Lippia - - 512
Lithospermum - 440
Littonia - - 698
Lobelia - - 366
Lomaria - - 801
Lonchitis - - 796
Lopholæna - - 337
Loranthus - - 573
Lotononis - - 128
Lotus - - 138
Loxostylis - - 121
Ludwiggia - - 213
Luffa - - 223
Lycium - - 455
Lycopodium - 822
Lyperia - - 469
Lythrum - - 207
Maba - - 384
Macaranga - - 593
Mærua - - 26
Mæsa - - 375
Mahernia - - 64
Malvastrum - 54
Manulea - - 470
Marattia - - 819
Marsilea - - 827
Matricaria - - 331
Medicago - - 136
Melanthera - - 325
Melasma - - 476
Melhannia - - 62
Melia - - 89
Melianthus - - 117
Melica - - 780
Melinis - - 741
Melolobium - 132
Menodora - - 386
Mesembryanthemum 235
Mentha - - 527
Microchloa - - 767
Micraster - - 416
Microglossa - 295
Micromeria - 528
Mikania - - 290
Millettia - - 142
Mimulus - - 471
Mimusops - - 381
Miscanthus - - 745
Mitracarpum - 279
Mohria - - 818
Mollugo - - 238
Momordica - - 224
Monsonia - - 75
Moræa - - 644
Moschosma - - 519
Mukia - - 228
Muraltia - - 41
Myosotis - - 439
Myrica - - 609
Myriophyllum - 196
Myrsine - - 376
Mystacidium - 624
Nemesia - - 458
Nephrodium - 806
Nephrolepis - 807
Nerine - - 663
Nesæa - - 208
Nicandra - - 454
Nidorella - - 296
Niebuhria - - 25
Noltea - - 108
Nothochlæna - 810
Notobuxus - - 581
Notonia - - 340
Nuxia - - 427
Nymphæa - - 12
Ochna - - 85
Ocimum - - 518
Ocotea - - 562
Odina - - 123
Oenothera - - 214
Oldenlandia - 260
Olea - - 388
Oleandra - - 808
Oligocarpus - 348
Olinia - - 206
Olyra - - 737
Oncoba - - 31
Ophiocaulon - 219
Ophioglossum - 820
Oplismenus - 733
Orchipeda - - 392
Ornithogalum - 692
Orthosiphon - 520
Orygia - - 237
Osmunda - - 814
Osteospermum - 347
Osyridocarpus - 576
Osyris - - 578
Othonna - - 345
Oxalis - - 78
Oxyanthus - - 265
Oxygonum - - 555

Panax - - 256
Panicum - - 732
Papaver - - 13
Parthenium - 319
Passerina - - 568
Paspalum - - 731
Pavetta - - 273
Pavonia - - 57
Peddiea - - 572
Pelargonium - 77
Pellæa - - 799
Pennisetum - 735
Pentanisia - - 268
Pentarrhinum - 406
Pentopetia - - 397
Pentzia - - 335
Peperomia - - 560
Peponia - - 222
Pergularia - - 414
Peristrophe - 507
Perotis - - 743
Petalactella - 312
Peucedanum - 254
Phœnix - - 708
Phalaris - - 758
Pharnaceum - 239
Phaylopsis - - 495
Phragmitis - - 776
Phygelius - - 460
Phylica - - 107
Phyllanthus - 583
Phyllopodium - 467
Physalis - - 452
Physospermum - 329a
Phytolacca - - 554
Pimpinella - - 252
Piper - - 559
Pistia - - 711
Pittosporum - 39
Plantago - - 536
Platycarpha - 356
Platylepis - - 626
Plectranthus - 522
Plectronia - - 270
Plumbago - - 372
Poa - - 781
Podalyria - - 126
Podocarpus - - 613
Pollichia - - 538
Pollinia - - 749
Polycarpæa - 48
Polygala - - 40
Polygonum - - 556
Polystachya - 621
Polypodium - 809
Popowia - - 8
Portulaca - - 49
Portulacaria - 50
Potamogeton - 716
Potamophila - 738
Printzia - - 315
Priva - - 514
Prionium - - 707
Protea - - 564
Protium - - 86
Psammotropha - 240
Pseudarthria - 151
Psoralea - - 139
Psilotrichum - 546
Psilotum - - 823
Psychotria - - 274
Pteris - - 800
Pterocelastrus - 100
Pteroxylon - - 116
Pterygodium - 638
Pulicaria - - 316
Pupalia - - 545
Putterlickia - 101
Pycnostachys - 525
Pyrenacantha - 94
Quisqualis - - 202
Rafnia - - 127
Randia - - 263
Ranunculus - 5
Raphionacme - 398
Raspailia - - 193
Rauwolfia - - 391
Rawsonia - - 32
Rhamnus - - 105
Rhamphicarpa - 401
Rhinacanthus - 505
Rhipsalis - - 234
Rhizophora - - 197
Rhus - - 120
Rhynchocarpa - 230
Rhynchosia - 163
Rhynchospora - 728
Richardia - - 713
Richardsonia - 280
Ricinus - - 594
Riocreuxia - - 419
Roella - - 370
Royena - - 382
Rubia - - 281
Rubus - - 179
Ruellia - - 494
Rumex - - 557
Ruttya - - 501
Saccharum - - 746
Salacia - - 103
Salicornia - - 553
Salix - - 610
Salvia - - 529
Samara - - 377
Samolus - - 374
Sandersonia - 697
Sanicula - - 244
Sanseviera - - 643
Sapindus - - 114
Sarcostemma - 411
Satyrium - - 633
Scabiosa - - 285
Scævola - - 365
Schistostephium - 334
Schizea - - 816
Schizochilus - 637
Schizoglossum - 402
Schizostylis - 646
Schmidelia - - 112
Schotia - - 173
Schrebera - - 387
Scilla - - 691
Scirpus - - 723
Scleria - - 729
Sclerocarya - - 124
Sclerochiton - 497
Scolopia - - 33
Scutia - - 106
Sebæa - - 431
Secamone - - 400
Selaginella - - 824
Selago - - 510
Selinum - - 255
Senebiera - - 22
Senecio - - 341
Sericocoma - - 543
Serpicula - - 194
Sesamum - - 490
Sesbania - - 143
Setaria - - 734
Sida - - 55
Sideroxylon - 379
Siegersbeckia - 322
Silene - - 43
Sisymbrium - 19
Sisyranthus - 417
Sium - - 251
Smilax - - 670
Smithia - - 147
Smodingium - 122
Solanum - - 451
Sonchus - - 364
Sophora - - 169
Sopubia - - 484
Sorghum - - 755
Sparmannia - 68
Spergula - - 46
Spermacoce - 278
Sphæranthus - 304
Sphedamnocarpus 73
Spilanthes - - 326
Spodiopogon - 748
Sporobolus - 761
Stachys - - 530
Stangeria - - 615
Stapelia - - 424
Stellaria - - 45
Stenoglottis - 628
Stenotaphrum - 736
Stephania - - 10
Stipa - - 760
Stoebe - - 311
Strelitzia - - 642
Streptocarpus - 487
Striga - - 480
Strophanthus - 394
Strychnos - - 430
Struthiola - - 569
Stylochiton - - 712
Sutherlandia - 144
Synadenium - 580
Syncolostemon - 521
Tabernæmontana 393
Talinum - - 51
Tarchonanthus - 300

Tecoma - - 488
Teedia - - 463
Tephrosia - - 141
Teramnus - - 157
Teucrium - - 534
Thalictrum - - 2
Thesium - - 575
Thunbergia - 492
Tillæa - - 187
Toddalia - 82
Todea - 815
Trachypogon - 752
Tragia - - 597
Tragus - - 742
Trapa - - 215
Trema - - 600
Tribulus - - 74
Tricalysia - - 267
Trichilia - - 91
Trichocladus 192
Trichomanes 791
Trichopteryx - 765
Tridax - - 328
Trifolium - - 137
Triglochin - - 714
Trimeria - 37
Triodia - - 774
Tripteris - - 347
Trisetum - - 763
Tristachya - - 764
Tritonia - - 654
Triumfetta - - 67
Trochomeria - 221
Tryphostemma 218
Tulbaghia - - 683
Turræa - - 88
Tylophora - - 413
Typha - - 710
Tysonia - 441
Urera - - 606
Urginea - - 688
Ursinia - - 350
Urtica - - 604
Utricularia - - 486
Uvaria - - 6
Valeriana - - 283
Vangueria - - 271
Vellozia - - 668
Venidium - - 353
Verbena - - 515
Vernonia - - 287
Veronica - - 475
Vicia - - 153
Vigna - - 160
Vincetoxicum - 409
Viscum - - 574
Vitis - - 110
Vittaria - - 812
Voandzeia - - 161
Wahlenbergia - 369
Waltheria - - 65
Watsonia - - 651
Webera - - 262
Wedelia 324
Weihea - - 199
Withania - 453
Woodia - - 405
Woodsia - - 789
Wurmbea - - 694
Xanthium - - 320
Ximenia - - 92
Xylosma - - 34
Xyris - - 699
Xysmalobium - 401
Zaluzianskya - 466
Zanthoxylum - 84
Zehneria - - 229
Zeuxine - - 625
Zinnia - - 321
Zizyphus - - 104
Zornia - - 149